December 2013 December 2013 Products and Services for Today's Electric, Telecom, and CATV Utilities

> Trojan Battery Ships New 2-Volt Industrial Line Batteries

Chipper Pivoting Winch Now Available on DC1317

Specialized Customer-Driven Solutions.



Dur-A-Lift, Inc. manufactures telescoping and articulating aerial personnel and material handling lifts for many needs. Dur-A-Lift's experience, quality & dependability shows in every product that leaves the factory. We pride ourse ves on unsurpassed service both during, and after the sale.

At Dur-A-Lift we base our success on our customer's successes, by fostening mutually beneficial relationships with our customers on a personal level, we gain the ability to bruly understand their needs. Call us today and let us put our experience, quality, depends bility & service to work for you!

Experience, Quality, Dependability & Service ..





www.facebook.com/pages/Dur-A-Lift-Inc/282794071750558

PO Box 31, George, IA 51237 + Toll-Free: 1-877-4 DURALIET + www.dur-a-lift.com



Permanent Solution | Cost Efficient | Meets Green Standards



Permanently Patching Pothales for Over 50 Years. Visit our website today to see what goes into making UPM the best permanent povement repair in the incustry.

www.UniquePavingMaterials.com area 1.800.441.4880



Ballard Launches New Outdoor Hydrogen Fuel Cell Solutions for Telecom Backup Power Market



CertainTeed Teams Up with Penn State University to Drive Training in Contemporary Solar Roofing Technologies



Trojan Battery Ships New 2-Volt Industrial Line Batteries



Hioki Releases iPad App for Memory HiCorders

Chipper Pivoting Winch Now Available on DC1317

22

2





GROUP PUBLISHER Jim Barnhill 205-733-1343 jim@handfmedia.net

CREATIVE DIRECTOR WEB DESIGNER/ EDITOR Jacklyn Greenhill Danny Thompson

Jacklyn Greenhill Danny Thompson jacklyn@handfmedia.net danny@ handfmedia.net

FACILITATOR/ ADMINISTRATIVE HEAD COORDINATOR COORDINATOR

Steven Hobson steven@tipsmag.net COORDINATOR Annie McGilvray annie@handfmedia.net

CEO Christy Hobson **PRESIDENT** Glen Hobson



Executive and Advertising Offices 2070 Valleydale Rd, Suite # 6 Hoover Al 35244 toll free: 866.981.4511 phone: 1.855.591.6971 fax: 1.855.662.2172 www.theutilitysource.com • glen@tipsmag.net

The Utility Source™ is published eleven times a year on a monthly basis by H&F Media Group, Inc., 2070 Valleydale Rd, Hoover Al 35244 USA. The Utility Source™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign ubscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Utility Source[™] is distributed to top qualified owners and managers in the utility industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to H&F Media Group, Inc., P.O. Box 382315 Birmingham, Alabama 35238-2315 PRINTED IN THE USA

21st CENTURY FAULT DETECTION Energized or Unenergized Cables



3-IN-ONE DMM/TDR

Digital Multimeter Cable Fault Detection Detects distance to fail to on a offic Event Detection Detects restmated to on a offic

Dual Mode TDR

Cable Fault Detection Dynamic Intermittent Testing



Power Prowler



SPREAD SPECTRUM TIME-DOMAIN REFLECTOMETRY



MONITOR REAL-TIME CHANGES/FAULTSINALL ELECTRICAL SYSTEMS

T3Innovation.com





805-233-3390 www.T3Innevation.com



TS Innovation 808 Calle Plann Gamanito, GA 93012

Ballard Launches New Outdoor Hydrogen Fuel Cell Solutions for Telecom Backup Power Market

Ballard Power Systems has announced the launch of a standardized fuel cell backup power cabinet solution suitable for outdoor deployment as part of the ElectraGen[™] product portfolio for telecom network operators. The new outdoor enclosures are designed to accommodate Ballard's direct hydrogen backup power systems, and feature modular construction and options enabling customization.

"We continue to expand our portfolio of telecom backup power solutions in response to growing market demand," said Tony Cochrane, Ballard Director – Product Management, Telecom Backup Power. "The flexibility of this new outdoor modular power solution, using direct hydrogen fuel, further increases the range of applications in which we can offer unique advantages to telecom operators."

Ballard's new outdoor enclosure is available in two versions, standard and compact. This new enclosure features flatpack construction, enabling on-site assembly, and permits customizable configuration of Ballard's ElectraGen[™] -H2 direct hydrogen fuel cell backup power system. In addition, the standard cabinet includes an optional cold weather kit allowing operation in temperatures to -40 degrees.

ElectraGen[™] -H2 system features include:

• Customizable power output; up to 10kW in the standard cabinet, and up to 5kW in the compact cabinet

• Battery-free bridging energy available through the use of ultracaps

- Fully integrated power management
- Extended duration runtime
- Simplified plug and play integration
- Small footprint
- · Zero emissions

• Attractive lifecycle cost compared to incumbent solutions

The ElectraGen[™]-H2 system and new outdoor enclosure are developed, manufactured and distributed by Ballard's backup power subsidiary, Dantherm Power based in Denmark.

Today's launch of an integrated outdoor solution for telecom backup power is further evidence of Ballard's fuel cell product leadership, underpinned by acknowledged excellence in technology and validated by a growing base of commercial customers and systems.

The new outdoor ElectraGen[™]-H2 backup power solution will be on display at "Intelec 2013" (www.intelec2013.org) in Hamburg, Germany, October 14-17. For more information please visit www.ballard.com.

Ballard also offers ElectraGen[™] - ME methanol-fuelled systems designed for high reliability, long life and minimal preventive maintenance. They include a fuel reformer that converts HydroPlus[™] (a methanol-water liquid fuel mixture) into hydrogen gas to power the fuel cell.





NTRODUCING

HIOKI'S PW3360 Power Demand Analyzer

- No computer required in the field.
- Recording capability of up to one year
- Battery Life S Hours

нюкі

F 2

A CARLES HERE

F3

0981

NI - INNIGHT Earde Company

HOLD

F4

- Remote Monitoring Capability

귀영종

59A

View real time data on TPT Color LCD Display.

MEASUNE

WIRING



Built-in Quick Set function guides.

neluding sell-up storage).

for corrective adjoin.

you in making the right connections

 Screen indicates a failure of proper connection and provides instructions.

1000

 HTTP function allows real time moniforing and measurement display using a standard wab browser.

starting at

e 12 S

93.2.s

TT 33

PORT

 Lightweight, 4 x 7 inch 19.4 cz unit allows logging in limited space.

HOT OFF THE PRODUCTION L

 Harmonic capability compliant with IEC 61000-4-7 2002

Edwar Logger Viewen

Software for PC

CIPLOCE

payson - 20 or last on non-mit coucht



ISO 9001

"we've doing our part"

Producing High Quality Products For over 78 Years



3 CORPORATE ERIVE-CRANBURY INJ PHONE: 609.408-9108 FAX: 609.409-9108

www.hiokiusa.com

ISO 14001 FOR A CLEAN ENVRONMENT

GUICK SE

START/ STOP









ElectraGen *- H2

Sallard Proventity screws provide an implete direct hydrogen backup powersolutions designed for to ecom and related networks applications. ElectroGon ⁴⁴ H2 setems are ploan totable, quiet oconomical and have been dop cyce worldwide for critical backup bewer applications.

Balland's Flet in GenDs H4 systems over hypotopen foel self technology with a fully incerpated power management system and can be incorrigined as either integrated or standalone modules. These systems are best suffection short dyration in ntime applications, requiring introquent backup bewer for short periods of time (relatively lower total. We hours), onfor temporary use, blow ding continuous bower over a range of We hour requirements.

FEATURES.

- Low maintervarie cost
- Very low noise, can be installed antically anywhere.
- Radamountadie, suitadie for indooraaplication
- Environmentally triantily, acrossilistants
- Backup time depends only on rubi available onsite and/on at buffer stocks
- Compactuscalable, modular systems for network growth.
- Program habita se if test onsures system reachets.

These contactios for product availability and pricing.

Performance	W , where Θ , we say e^{iM}	1.7	7.1	
	Voltacje (anaje, VDC	12 10 22 01	-15 its -5.5	
	Δ -colored Francisco et av. C	20 m	- Ari	
	Field Gel	Darvedon y dr	egen PL VI	
	Citoling Herrory	A		
	Bing ng preserv	s (LA pa	benes"	
	Certifications	C1 ANS 8055 1010012	e	
nd	lyoe	Caseo su -	yal segan	
	Let Lority	s 55,9,7	(p. dry	
	Feel Consumption CN m ² /KM	0.82	5.80	
	Ban timeñ, bro	35	12	
C. Financation	I Cifees	0 7 Su	de cel	
Physics :	Sect, Wie Bielf Jerr	40.5 65 k 32	12>54<53	
	Weigelt, og	40	75 IA	
Options:	Cold weather a Complexinger 1.	4015 407	n. en. 🔨	
	Battery Boo bring og an ergy	dires.	🐨 🔰 Danthei	° I I
	CAN ous	10 As connector	19 E connector 🏹 🛛 🗜	owe

spectral contrast of the phone in the contrast set of the final distribution products as easily the (0.52, 2)

- Kita WithBallanetti Poweret Even er del Fisce Kon Oxeloo NC Clear Cent*, Elevansten Fundti valer ha * arc. Gaatemi ha vi Ballane Power Steven a hist east and territorial systems, inc. 1980 - Sterritorial information Controlly, to twith Columnia Controlly, VSI 540 The Constraints and a second sec

www.bellard.com



TURNING GHALLENGES INTO SOLUTIONSI

THE ALL NEW UTILITY SERIES ROCK RIPPER® AUGER

All aspects of the Utility Series Seek 9 open® have been improved with the new designer Considerable allegities it as been paid in oncer to improve dulling rates and reduce without on. The receasined progressive-sigle Book Rioper® blows the augentic "blic" futo the rock which recurses the vibralian while it increases on fling production.

The distinct attack angles paired with the STRATATY selfer \$5-265% carticle uniting grade health are das great to but through the rock. The Utility Series Rock Ripper* is the august to use for your utility rock or thing projects.



OF ALL

PENGC is the largest manufacturer of augers and raiated wear parts in the world, serving the utility, construction, agriculture, foundation, and major worldwide OEM dustomers. Our products are available through a network of over 500 dealers and OEM's. Call today for one near you! STRVIA series loots are designed to withstand the loughest drilling conditions and provide the highest rolum on investment. All BTRATA series tools use a copilatery grade calbida developed specifically for vertical on ling applications. This sith affect to high quality uniformity ensures each STRATA builties.
Better high temperatures wear resistance. Consident wear of ensure interview affections. Longor service life, which means more uptime and fever loot changes.
All STRATA control life since are menufactured in the USA.



YOU HAVE CHALLENGES. WE HAVE SOLUTIONS!

PENGO

www.pengoattachments.com

800.599.0211 | 712.845.2540 | FMX 800.915.6904



COMPARED REACCIONFRONTINA 2013, CONTACT FERIORS LESS PERCENTEXCHARDITE.COM









Complete cale net vin deci

ElectraGen *- H2 Outdoor Enclosure

Salard's new publicant Derty Seconds 112 controls in the dutian solution that can be inity of stamlard for subtaments solution application requirements incorporating the 1.7kW or SkW tack mountable fuel call modules, this publications reductive offers of able solver for outdoor relection applications. The solution of the solution relection applications are reported by pactive sizes and houses a carlety of system configurations including battery free operations and contained cold weather and up 14-10kW of power.

Lailant Rowen' opens one is an opiete direct itydrogen backup bewer solutions designed for telecom and related networks applications. Cloctra Sen 1-112 systems are clean, relable, quiet economical and have open deployed worldwide for critical bockup bewer applications.

FEATURES

- Staleable up to 10 eV.
- Flat pack construction allows for onsite assembly.
- Standard and compact versions available.
- Optional orbit was nearly to enables operation down to e40%.
- Small footor int.
- 5 mptfed in equation with east inque work hardware.
- Single altituzke.
- AC, DC and signal line exit cabinet via PG unions.
- Write block integrated in to the extra structure.

Please contactlus for product availability and pricing.



Spectra di ne veri di transplane e di evalue energi veri e di di tra di site e publicate e Malant Preservy dens nenerver dei right lo change specificatione product apparence esto di continue producte etany time (35.22, 22,

MissWei Balanett, Poweret Evice, protein State Rei, Oschools Cristian Cent^{er}t Elevation Fundt valer hurt^{er} and autom fund Balane Power Stytematics **Kal Dra Posten By Softer, Inc.** Millio des gand indexes Demoly, Le IVI Columna Canada, VSI 540 1642 (H1) (C114-034 PARK) (C) (KBR 212-076)

www.bellard.com



Serving the Utility Industry

with Quality Products and Service for 35 Years.

- Rock and Dirt Augers
- Core Barrels
- Rock and Dirt Pilot Bits
- Kelly Extension Bars and Adapters
- Anchor Drive Tools and Accessories

ALC: NO

- Hard Surfacing, Capabilities
- Replacement Parts

Visit www.JeffreyMachine.com to see our catalog and complete selection of custom built tools. Visit is at: www.jeffregradime.com

Birmingham, Alabama (205) 841-8600

www.ieffreyMachine.com





S PRODUCT SPE	CIFICATIONS				
		Standare Cabinet	Compact Capine.		
No fermaneu	Server Dating	Jars 1962	Jaro ShW		
	Northe Voltage	451	4 s Vde		
	Volaga waxabla	15 hn 55 Milese	45 km 55 stde er stål im s55 stde		
	Voltavje rijsole	< 100m/tup @ 507/Hz			
	AC Power mout	110/030 (Act (60-66/1500) 50/20 17			
	Temparatura tanga	\times 2 to $-4\pi^{2}$ / 4^{2} to -1 , $\sqrt{2}$) and	\sim^{-2} to $-\cos^{2}$ (a^{2} to $-1-a^{2}$), and out Theorem the Process $A(t)$		
		5" to 140"C '41 to 1104"H indicer temperature			
	culture standing	5-95% Kan-Conterving			
	car-Op me	System provides teamlets responde to grie has with Delate cettery or otherware viewer and for			
	standby rower consumption	2 operation v 0.0 ou 0.0 Watts (0.0) One 200 Watts on 0 op 200 Watts (2.2% operating on receptive up 1			
	Second Level	Stodiek al Timerana, Stok			
	Continuations	CT and EC-1 (Ab.5)(CS.6)			
ing de⊅t	Coeveral Size (ModRd (ACC 2.735 x 1650 man	AC 2.426 x 1050 mm		
	Maria I. Wag M	675 og eval iblindging energy (60 – 226 kg)	220 ng eou the diging entryy (62 – 110 kg)		
	Protostuci Material	A to Zink Coaldo is not i Velata re Alemanam			
ш.:	the Solution	External hyperagen dy inders			
	The Aperitanion	Hydrodien is Graduists (2 00.75 & Panty)			
	rue Censer poor	10.0 M RK of hypothesis (# (Sampel 16W m 10x4 power output)			
	The monthship	Dry confustionant when a four string is empty			
communications -	Alar n.	(ry) <	Chy Continuos		
Orlion	Varial el Operación	Jioto 15 Electra Gen ^{ra} , H2 Systema da Halioparador in paral el fer oprito 60 v/v of power detpart			
	Colo Weather Sit	- C (5 − 10 ³) (- C (5 − 10 ²) (A= start) -m teacure - 3.4.			





Ballard Tower Systems, Inc. Is accepted to a world leader in the ballon development menufacture and acted blach anany for one store and the EncarySet 75 family of for one systems for and up power of the original development as the generation waves the following constitution of the dependence.

ueern noor solput fuel de le to word, contactuels na rachard (1911) et la culture manif (1911) et 1914 (1944)

Spectrations and the supplementation and a second second of the time second products for the March Passer systems are reasonable to prove the type scaled cubor all products passer the topold burder the products scale y drive (XSSD-1).

(SLAME), en un die Freschen Berschen Pries in 2000, EC - Saly die Berne Mithematikan Mithematikan Pries Pries Mithematika Theorem Alexandre Internet Research versonder Inte Kallar J. Missen des nans, fax 2009 Oler Iyon i a toxy Semaly, Britel Columbia Constitut V512 IO THE SECTION AND ADDRESS OF FRANCISCO STRUCTURES AND ADDRESS ADDRES ADDRESS ADD

aren, beiland och

SAFETY IS ENGINEERED INTO EVERY TOOL WE MAKE.

ALWAYS.

NEAR

YOUR

GLOVER

ALWAYS

WEAR

YOUP

ISLOVES

Especience, adapticable, quality and vision are the foundation of the Cementex brand of double nucleus tools and safety related products. Our continued use of American tools, tobats and labor pareo with these bindementes are only set us apart from the imitators but now also established us as the fusion action you is pecialize.

Visit as all www.comonteurs.com

THE SAFETY TOOL SPECIALISTS

630 MCKSONWILE KOAD + 70 80X 1323 + 8URINOTON, NJ 08016 USA + 1011 FREE 800-634 1292 -IN NJ 609-387-1040 + 104 509-386-8885 + E-mail took 85emar Exception + www.cemartEnco.com

PROVIDING COMPLETE ELECTRICAL SAFETY SOLUTIONS

CertainTeed Teams Up with Penn State University to Drive Training in Contemporary Solar Roofing Technologies



CertainTeed Corporation has partnered with Penn State University in the construction of a solar power training facility. The project is the second phase of the groundbreaking, new smart energy campus GridSTAR Center at The Navy Yard in Philadelphia. Functionally designed with input from CertainTeed, the building will showcase the manufacturer's line of innovative solar roofing products and provide an outlet for training students and building professionals in contemporary solar roofing system installation.

"This facility will provide real-life solar installation training on a variety of solar products including our Apollo II and Solstice systems," says Mark Stancroff, director of CertainTeed Solar. "And, since it's located right in our back yard, it offers us an opportunity to display our photovoltaic roofing products to potential customers while helping increase the awareness and acceptance of solar energy in the residential building field. We are delighted to be a part of this project."

The steep-slope portion of the facility's roof will feature a 2-kilowatt Apollo II[™] solar roofing system integrated among Landmark Solaris[™] Gold premium designer shingles in Max Def Weathered Wood and a 2-kilowatt Solstice® rack-mounted solar roofing system. The GridSTAR Center also features a

Powered Dock For The GETAC B300



FRO



Tablet Mounts Print



Universal Laptop Tray,



Tough-Box™ Console Mounts

Why Choose RAM Vehicle Mounts over other mounting systems?

- Shock and vibration protection,
- Low cost
- Military endorsed
- Available in metal or composite
- Large selection of no-drill
- vehicle bases
- Ease of installation and use
- Proven ball and socket designs
- First patented molded dock for
- laptops in vehicle applications
- Patented ergonomic designed docks for safety
- State of the art form and function
- Unmatched quality
- Made in USA





JUST RAM IT!

net zero energy demonstration home with Landmark Solaris shingles and a host of other exterior and interior CertainTeed building products.

Solar Grid Storage, a developer of solar energy storage technology for backup power also partnering with Penn State on the project applauds the forward-thinking contributions of materials and technical expertise from CertainTeed and other manufacturer partners.

"This project really is a great partnership between industry, new technology and academia," says Don Bradley, senior vice

president of business development at Solar Grid Storage. "It's through these efforts that contemporary technologies deployed at the GridSTAR Center will eventually become mainstream."

Expected to be completed by the end of this summer, the GridSTAR Center will serve as a valuable hub for workforce training, building performance testing, energy management research and "smart" microgrid modernization deployments. For more information, visit www. gridstarcenter.org.

The Apollo II system features highperformance 54-watt monocrystalline photovoltaic panels designed to integrate discreetly into standard shingled roofs, unlike rack-mounted solar roofing systems. The panels are lightweight, durable, resistant to wind uplift, and can easily be integrated into either an existing roof or installed as part of a new roof. Apollo II's low-profile design does not require structural reinforcement or evaluation, and the sleek black frame, cells and backsheet visually blend with surrounding shingles. The system also features an open space under the modules to allow for easier electrical wiring. Features such as water channels and raised fastener locations further improve roof deck integrity.

Solstice is a rack-mounted solar roofing system featuring highly efficient, monocrystalline photovoltaic panels. The system's modules are attractive, durable, and can easily be installed onto either a low-slope or steep-slope roof. Solstice is also backed by CertainTeed's electricity output and installation workmanship warranty – one of the most comprehensive in the industry. The system showcases an aesthetically pleasing style with black cells laminated to a black back sheet and a black mounting frame and is available in AC and DC versions. All CertainTeed solar roofing systems are eligible for state rebates and incentives listed at www.dsireusa.org. Additional incentives may also be available through local utility providers. For more information, visit www.certainteedsolar.com.



Keep your lift operators safe.

With multiple operations during the day, lift operators may forget to re-attach their safety harness tenyard to the boom anchorage. Now there is an easy solution from one of the teading design and manufacturing companies in America.

Vert-Alert[™] is an integrated warning system that alerts operators of aerial lifts to attach their safety harness lanyard prior to elevating the lift.



A site your lift operator with an audiale statement. "Warning, fall protection not connected".



A eric one way and by standers when backet to depart ding with an audit to state mort Warning, aerial litt depart ding?.



TRADITION+INNOVATION introduces



Vert-Alert[™] capabilities

- Optional interrupt feature that prevents till from ascending if safety lanyard is not property attached
- Descent alert
- Data logging.





Easily installed on new and existing equipment.

Trojan Battery Ships New 2-Volt Industrial Line Batteries

New Battery Design Enhances Transport and Installation

Trojan Battery Co., the world's leading manufacturer of deep-cycle batteries, is now shipping its new 2-volt Industrial batteries. The latest deep-cycle battery additions for renewable energy and backup power applications include two new sizes, and feature a unique design making transport and installation of the batteries easier for a variety of solar applications.

"As installations of off-grid solar applications for applications such as off-grid telecom networks, micro grids, island and rural electrification and backup power increase worldwide, so will the need for reliable, deep-cycle batteries for energy storage," said Bryan Godber, Trojan executive vice president of renewable energy. "To address this demand, Trojan continues to put its more than 85 years of battery expertise to work developing innovative battery technologies to effectively meet the growing need for reliable access to power around the world."

The new Industrial batteries include the IND27-2V model featuring a 1457Ah capacity at C20, and the IND33-2V version that offers a 1794 Ah capacity at C20. Trojan also includes a 4/O cable and hardware with each of its Industrial batteries for series connections. These Industrial battery cables provide the link between the batteries, equipment and charging system.

To enhance safety, the new Industrial batteries also feature customizable terminal protectors which increase protection against shock or short circuiting and terminal corrosion. The protectors feature perforated cut-outs along the sides and top enabling them to be customized to fit the specific cable configuration required by customer. The Industrial line supports large daily loads where the batteries are cycled regularly in a range of photovoltaic systems, including off-grid and unstable grid situations. Specifically designed for deep-cycle use, Trojan's Industrial line is optimized for deep discharge and recharge cycles characteristic of renewable energy systems. It is engineered for high-energy requirements delivering 1,500 cycles at 80 Trojan Battery Ships New 2-volt Industrial Line Batteries percent depth-of-discharge, and features advanced battery technologies that provide optimum performance. The Industrial line features the following unique design elements.

Rugged Construction & Intelligent Design

The 2-volt cells of the new Industrial line additions are assembled in a rugged polypropylene housing designed to protect the internal plates from damage that may occur during transport and installation. The cells are enclosed in a larger polyethylene outer case that protects against damage caused by harsh environmental conditions such as moisture and dirt buildup, as well as safeguards against potential acid leaks.





www.Saubermfg.com

Quality engineered equipment since 1962

Please visit our website today or call (800) 323-9147



Totally Portable Fall Protection

- Excellent for temporary applications, indeers or outdoors
- Fully assembled system can be lifted with large forklift or, with the proper options, rolled or towed

NEWL Griffin[®] Portable Monorails from Rigid Lifelines[®] provide rigid track fall protection with coverage up to 30° off plumo. 1 or 2-person systems. Wheeled or Skid Mounted systems available.

See a weep of the Griffin 1 Monorall in action: http://grin.co/bfall13

Use for:

- Flucks Loading, Securing & Farping.
- Maintaining Large Vehicles & Fouipment
- = Aircraft
- = Railcars



866-990-1008 http://grfn.co/t fall13 For added protection the thick-walled case features a lattice-design that reinforces the outer case's structural integrity. This dual container construction provides added protection against extreme temperatures.

Trojan Advanced Battery Technologies

Engineered for high-energy requirements, the Industrial line features the following advanced battery technologies that provide optimum performance.

Alpha Plus® Paste with T2 Technology™ & DuraGrid™ Design

Trojan's Alpha Plus Paste is a proprietary, high-density paste formulation precisely engineered to deliver outstanding battery performance. This high-density paste optimizes porosity development in the active material utilizing the active material more effectively resulting in sustained battery performance over a longer period of time. Trojan's T2 Technology features a patent-pending T2 metal agent which is incorporated into Trojan's Alpha Plus Paste further strengthening the electrochemical processing capabilities of the paste. Together the Alpha Plus Paste with T2 Technology increase both sustained capacity and total overall ampere-hours resulting in more operating power.

Combined with the innovative DuraGrid design, which provides a thick grid structure that resists corrosion, the Alpha Plus Paste with T2 technology increases overall battery life. The Industrial line's low-profile grid configuration also optimizes current flow throughout the grid network and maximizes the amount of electrolyte that can be added resulting in longer intervals between watering.

Reinforced Protection Wrap

Trojan's Industrial batteries are engineered with a robust positive plate construction that enhances overall performance. Trojan's DuraGrid technology combined with Alpha Plus paste securely locks the active materials to the grid creating an exceptionally strong positive plate. The Industrial line includes a five component wrapping and insulating system comprised of a stranded vertical slyver, which are filaments of glass wrapped around the positive plate's active mass surface, a 20 mil backing bat and a secondary 20 mil horizontal compression mat. The entire mat is wrapped with edge-protecting Koroseal that is heat bonded as well as bonded to the plastic boot to protect the bottom of the plate and to keep the Koroseal in place. The advanced plate construction protects against shedding and assures the electrochemical performance of the battery's active materials.

Trojan Battery Adds New Models to Industrial Line

Maxguard® XL Separator

Exclusively available in Trojan's Industrial and Premium line batteries is the Maxguard XL separator. Featuring a wide-channel design, the Maxguard XL separator increases acid flow for optimum battery performance. Thirty percent thicker than our standard flooded battery separators, the Maxguard XL provides even greater resistance to stratification which is a typical mode of failure in batteries used in renewable energy systems.

Trojan's Industrial product line is available worldwide. To order Trojan's Industrial line, please visit www.trojanbatteryRE. com/order.





CLICK THE PICTURES FOR YOUR QUOTE OR MORE INFORMATION





Wireless Application Streamlines and Enhances Analysis of Waveform Data

Test and measurement equipment leader Hioki E.E. Corporation announces the development and release of the HMR Terminal to the App Store, a free iPad-only app that empowers users of the company's Memory HiCorders to analyze waveform data on their tablets. Hioki is the first company in the industry to release a software tool capable of analyzing waveforms on a tablet PC. The app supports the MR8740 (54-channel model), MR8741 (16-channel model), and MR8847 series (with models capable of measuring up to 16 channels).

Development Background of HMR Terminal

Because Memory HiCorders are used to record multiple channels of high-resolution data over extended periods of time, they have always posed challenges in terms of how to best facilitate easy viewing of large volumes of recorded data. The volume of data generated by these devices continues to increase, with recent models capable of capturing 54 channels. At the same time, the method used to view waveforms, which typically involves moving to the location the user wishes to view on the instrument's display, is essentially unchanged. Consequently, ever-larger amounts of time and effort must be expended in order to find and analyze areas of interest in recorded waveforms.

HIOKI developed HMR Terminal based on the concept of dramatically improving the efficiency of waveform analysis by taking advantage of the manner in which tablets such as the iPad, whose popularity has exploded in recent years, are used to radically reassess how users view waveform data.

Drag-based waveform scrolling and pinch-based zooming in and out allow users to view enormous waveform spaces in an intuitive, stress-free manner just as if they were interacting with a map. Once memorized, a diverse selection of gestures such as swiping in from the right side of the screen to display the cursor and flicking between screens offer such profound advantages in terms of ease of use and convenience that users typically find themselves unable to return to their previous practice of using the Memory HiCorder or a computer to analyze data.

Principal HMR Terminal Features

1. Intuitive Waveform Manipulation Like a Map App

Just enlarging one portion of a waveform for viewing on a Memory HiCorder used to require an extremely large amount of time and effort. By empowering users to scroll freely and zoom in and out by manipulating waveforms on the iPad's touch screen, HMR Terminal eliminates the stress of operations such as enlarging a waveform to view part of it at a high level of detail and zooming out to view the waveform in its entirety.

2. Simple Display of Measured Values by Freely Placing Measured Value Cursors

Users can easily display as many measured value cursors as they wish by swiping in from the right side of the touch screen. Cursors can be dragged around and placed freely and intuitively anywhere on the screen the user desires.

3. Simple Display of Waveform Data Calculation Values in List Form

Users can easily switch to a screen displaying a list of calculated values for the displayed waveform including maximum, minimum, and average values simply by flicking the screen. The ability to instantly switch to the screen of calculation values while viewing dozens of channels of waveform data streamlines analysis.

4. Quick, Batch Adjustment of Channel Positions

Tasks such as grouping channels and aligning their zero-positions or tweaking the display so that channels do not overlap used to involve manipulating one channel at a time, making them extremely time-consuming. HMR Terminal lets users group channels intuitively simply by connecting their zero-positions with their fingers and then change the position or zoom factor of each, all at once. Users can also quickly and easily space channels evenly and position them as desired in the waveform space.



IEFY EXPELIJATIONS Be A Job Site Super Hero!

New from VMAC: The Ultimate "Utility Belt"...

The RAPTAIR Multifunction

Includes:

- Compressed Air
- AC Generator
- > Welder
- Battery Charger
- **Booster**
- Hydraulic Capability
- Auto Shutdown

All in one Compact Powerful package!



COMPACT. POWERFUL. vmacair.com/ncp 1-866-369-3729



Elk River, Inc. Personal Fall Protection

WindEagle LE Harness

62451

F 9

Douft Lerro Sufaty by Steellanth



Peregrine w/ Removable Seat 67632

0000000

www.elkriver.com

Peregnine w/ Removable Seat

Product Features: Made in America Context Features: Easy thick breathabe back. and threakly pade, with publical ways both, mainten for strengt and mainten \$" and Lightweight, set three Alexingin constring hadden -Remarkly and Renarable tool helt with tangant hadles discover. Adjustable and Detachable uset for confirm during producted work at bright Sh Dillow Two Fall treest. Stenal & David. East Probleming - One at each his. And Taxa Secondary for a cash frida -70 Serves Full Amerit B-ring at almaffer for saw of periodical -5 Point Admetable files at each chemilder, want bit and her strans with tangue bucket Teal lines for extra cast transporting combility that her ful laterary But Longest Park for proper storage of named twin for many absorber connector

WinsEagle LE Product

Features: Mate a America Lintework Data Bearful Indectors Inder Fagurer Lander Stanister Pala Wile Soft Back Ind. Constant Log Wager Nel Langent Parks Incompose storage of assert from by energy about the constitue

Large constant D-King slider at help Research and the base of the second Four sheel D-Range Fall arrest reconctioner Journal & Stormal Prostancing Connections' Two International International

in and not will hell end as server way had not can

Personal and in call with a

These who have protection... have Michael word has

Elk River, Inc.'s uncompromising quaity contributes to your company's commitment to safety and productivity through comfortable working equipment. The Platinum Series features lightweight hardware for less fatigue, breathable paiding and easy pull down adjusters. We also offer a omplete line of readily available products at competitive price points such as the Egle Series. These harnesses will have your workers motivated to use fail protection equipment through world-class designand construction creating comfort for all daywear. Elk River, Inc. Personal Fall Protection, "where technology meets traditional values". We are your number one source for fall arrest systems, products and accessories



Chipper Pivoting Winch Now Available on DC1317

Altec Industries, Inc., announces a new winch package option on the DC1317 chipper, which offers greater maneuverability at the work site.

DC1317"Altec strives to find solutions to meet our customer needs," says Andy Price, Altec Tree Care Market Manager. "This new winch features the ability to pivot 25 degrees in each direction, making it easier for pulling side loads and more flexibility to position the material for chipping."

The newly designed pivoting winch is available on both the Altec DC1317 and DC1317HP chippers and offers three operating positions: parallel to the feed direction, 25 degrees to the curbside, and 25 degrees to the street side.

Other features include:

- 7/16" diameter rope with 9,900 lb breaking strength and abrasion-resistant polyester cover
- 150 feet of rope
- 105 RPM operating speed
- Powered by a 10.3 cu. in. motor
- Boom structure made of .25" grade 50 steel
- · Controls that provide options of 'Forward', 'Reverse' and 'Free Spool'
- Nylon roller fairlead to preserve rope at a wide variety of angles
- Steel hook and hook stopper
- Winch spool and rope encased in the winch boom for protection from the elements



To learn more about Altec chippers and other tree care equipment, contact 800-958-2555 or visit www.altec.com/treecare. Altec is a leading equipment and service provider for the electric utility, lights and signs, telecommunications, contractor, and tree care markets. The company provides products and services in more than 100 countries throughout the world. Altec, Inc. is the hold-ing company for Altec Industries, Global Rental, Altec NUECO, Altec Worldwide, Altec Capital, Altec Supply, and Altec Ventures, LLC.





REGISTER NOW TO SEE WHAT'S NEW

Get the ultimate up-close look at the future of construction. Recistration is new per to the show that offers an intractised ovailing of a line new est

equipment Technology and product break throughs in construction. From contractaking big in anti-group of treaking indivations you in they exist at solar set this all assembled in one place to help you work emerter.

Register now at www.conexpoconagg.com to save over 30%!



IF IT'S NEW, IT'S HERE

2011) 9913



FACEBOOK!

HTTP://WWW.FACEBOOK.COM/THEUTILITYSDURGE



World-class Interactive Simulators, **Cinema Grade e-Learning and 3D Visualization for major** Infrastructure projects. 1-800-442-5299

Ad Index

Company	Pg.	Website
3D Internet	27	www.3dinternet.com
AJax	19	www.ajaxtoolsandequipment.com
Al Asher	28	www.alasher.com
Cementex USA	11	www.cementexusa.com
Con Expo	25	www.conexpoconagg.com
Dur-A-Lift, Inc.	IFC	www.dur-a-lift.com
Elk River	22,23	www.elkriver.com
Herculock	16	www.herculock.com
Hioki USA	5	www.hiokiusa.com
Jeffery Machine	9	www.jeffreymachine.com
K & H Industries	IBC	www.nightray.com
Pelsue	15	www.pelsue.com
Pengo	7	www.pengoattachments.com
Ram Mount	13	www.ram-mount.com
Reconyx	BC	www.reconyx.com
Rigid Life Lines	17	www.rigidlifelines.com
Roose Mfg.	28	www.roosemfg.com
Sauber Mfg.	16	www.saubermfg.com
T3 Innovations	3	www.t3innovation.com
Unique Paving	1	www.uniquepavingmaterials.com
Vmac	21	www.vmac.com
Valley Tools	18	www.rockhound.com





NightRay

NightRay 2 SPOTLIGHT SYSTEM

THE POWER IS IN YOUR HANDS, INDEPENDENTLY CONTROL TWO NIGHTRAY SPOTLIGHTS WITH ONE CONTROLLER

> CONTROLS ONE OR TWO NIGHTRAY SPOTLIGHTS

TOGGLE BETWEEN LIGHTS TO CUSTOMIZE A BEAM PATTERN TO MATCH YOUR JOBSITE

MULTI DIRECTIONAL LIGHTING AT ANY ANGLE

EASY GLOVED-HAND CONTROL

RUGGED, WEATHER-TIGHT DESIGN

CLEAR WIRELESS COMMUNICATION

THE TWINRAY IS PART OF THE NIGHTRAY 2 SPOTLIGHT SYSTEM AND COMES WITH ALL NEW SINGLE OR DUAL NIGHTRAY SPOTLIGHTS.

5 YEAR LIMITED WARRANTY

NIGHTRAY 2 LIVE DEMO AT:



CONTACT KH INDUSTRIES FOR MORE INFORMATION WWW.NIGHTRAY.COM • 716-312-0088



YOU CAN'T BE EVERYWHERE AT ONCE, WE CAN.

RECONYX High Definition motion activated security cameras do not require separate lines for power or communication. Extremely easy to deploy and hide, [5.5" x 4.5") our cameras provide near instant notification of an intrusion by transmitting images via the cellular network directly to your cell phone or computer.

General Surveillance and License Plate Capture models available. Visit our website for more information.

RECONYX Security Series Conterns, See What You've Been Missing...

14 ONE \$56-493-6064



WWW.RECONYX.COM

HER WHAT YOU'VE REAN PIRETAN.