



GET MORE BANG FOR YOUR BUCK...

Because so much rides on a quality upfit.

Transform your fleet the EZ way. Any Fit. Any Configuration.



















THO DIGGER DERRICK

VTP-40-NE CABLE PLACER VANTEL-29-NE

TEL-29-ME

DEMAND BETTER, DEMAND VERSALIFT.






As the words covering small thin manufactures. This Post field is a tree made amost project confer and many, attended for the solutioned since 1965. Governor, at the product the resignment to now the field over 10 modes of the resignment of the \$1.20 modes over 10 mod

for more information

254,591 (10) 254,591 (10) 254,591 (10)

The Utility Source Contents • November 2017

PG 4	Industry News
PG 8	Product Spotlight: Condux Tesmec PT1250 Hydrau- lic Puller-Tensioner
PG 10	Product Spotlight: Miller Vi-Go™ Ladder Climbing Safety Systems
PG 14	Milwaukee® Delivers First One-Handed Overhead Transmission Cutting Experience
PG 18	New Hands-Free, LED Pocket Light for Night Workers
PG 20	Company Profile: RegScan One Global Regulatory Software
PG 24	Terex® Launches Latest Enhancement in the Hi-Ranger™ Distribution Aerial Device Product Line- the Optima™ Series at ICUEE
PG 30	New Product News
PG 32	Ad Index





Vol. 17- Issue 11

NATIONAL SALES Hank Underwood MANAGER 205-624-3796 george@handfmedia.net **EDITOR Annie Galey** annie@handfmedia.net **CONTRIBUTING EDITOR** Brandon Greenhill brandon@tipsmag.net CREATIVE/WEB DIRECTOR Jacklyn Greenhill jacklyn@handfmedia.net **ADMINISTRATIVE** DIRECTOR Steven Hobson steven@handfmedia.net CEO **PRESIDENT** Christy Hobson Glen Hobson




Executive and Advertising Offices

PO Box 1568 Pelham, AL 35124 phone: 205-441-5591 fax: 205-624-3354 www.theutilitysource.net glen@handfmedia.net

The Utility Source™ is published twelve times a year on a monthly basis by CJS Media, Inc. The Utility Source™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the $\dot{\text{U.S.}}$ and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Utility Source™ is distributed to Power, Telcom and CATV Utilities and Utility Contractors throughout the USA. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to CJS Media, P.O. Box 1568 Pelham, Al 35124 PRINTED IN THE USA



THE AMERICAN (MOLE) Revolution BEGAN IN 1989...

We took a look at the primitive piercing tools of the day, and we said, "We can do better." We made the original HammerHead® mole tougher. More dependable. We made it field-serviceable. We stood behind each revolutionary change with the best warranty in the industry.

AND THE Revolution CONTINUES...

Available only at your local Ditch Witch® dealer Find your local dealer at hammerheadtrenchless.com or call 800-331-6653

MOLING | RAMMING | BURSTING | HDD ASSIST | WINCHES | CIPP









NESCO Aguires Bethea Tool & Equipment Company



NESCO, LLC has acquired Bethea Tool and Equipment Company, a manufacturer of Handline Blocks, Stringing Blocks, Bundle Blocks and similar products used by electrical utilities and contractors worldwide for more than 50 years. The acquisition includes Bethea Tool and Equipment's manufacturing facility and distribution center in Brighton, Tenn. This location provides 60,000 square feet of warehouse and service space.

"The acquisition of Bethea Tool and Equipment solidifies our position as the premier service and equipment provider in utility and specialty rental markets," said Lee Jacobson, NESCO's CEO. "This acquisition expands our product portfolio, increasing our flexibility in meeting the purchase and rental needs of customers seeking high quality products."

Material Handling Equipment

Your One Source For All Your Material Handling Needs

- Storage Products (Steel Cabinets, Shelving & Lockers)
- Loading Dock Equipment
- Conveyors
- Pallet Racks
- Mezzanines
- Carts & Trucks
- Containers & Bins
- Safety Equipment
- Drum Handling Equipment
- Hoppers
- Wire Partitions
- Lift Tables
- In-Plant Buildings
- Cranes (Jib & Bridge)
- . Hoists & Trolleys



1-800-239-3434



WAREHOUSE EQUIPMENT AND SUPPLY CO.[®]

116 West Park Drive • P.O. Box 19808 Brimingham, AL 35218

Email: sales@warehouseequipment.com Web: www.warehouseequipment.com Bethea Tool and Equipment Company will become part of NESCO's Utility Equipment Outfitters (UEO) division, making UEO one of the largest providers of block rentals, as well as new and used Parts, Tools, and Accessories in North America.

NESCO created the UEO division three years ago to offer Parts, Tools and Accessories (PTA) to Utility, Rail, Communication, and other specialized industries.

www.nesco.com

34th Lineman's Rodeo

The threat of severe thunderstorms didn't put a damper on the 34th International Lineman's Rodeo, which broke attendance records on October 14, 2017 in Bonner Springs, Kan. This year, more than 1,000 of the best linemen from around the world competed in team events and individual journeyman and apprentice events, demonstrating the extreme skills necessary to safely complete their jobs.

Linemen competed in pole climbing, hurtman rescue, and multiple mystery events, which this year included a rope tying event. Terex® and Utility One Source (UOS) sponsored the Apprentice Hurtman Rescue Competition by providing four Hi-Ranger™ TC55 aerial devices and one Hi-Ranger TL55 aerial device. The purpose of the Hurtman Rescue is to demonstrate speed while safely lowering an injured worker (represented by a mannequin) who is unconscious at the top of the pole.

"We wish to congratulate Kaleb Chapman of Jackson Electric Membership Corp., Atlanta, Ga., who was the fastest apprentice with a time of 00:43:33 and zero deductions," said Paul Beck, Terex Utilities Strategic Account Manager.


www.linemansrodeokc.com •

TRANSFORMER SLINGS

MANUFACTURED, PROOF TESTED AND TAGGED BY CERTIFIED ROPE SPECIALISTS



TS5B ADJUSTABLE TRANSFORMER SLING



TS34PM-4-HD HEAVY DUTY THREE PHASE PAD MOUNT



PAD MOUNT

For More Information

Phone: 877-860-5666

International: 630-860-5666
Español: 630-694-5853
www.tallmanegulpment.com





WE HAVE THE ROPE TO GET THE JOB DONE. 800-358-767 www.bucrope.com

TUS INDUSTRY NEWS


JLG Industries, Inc. Announces the JLG 315G & 615G Utility Vehicles

JLG Industries, Inc., an Oshkosh Corporation company and a leading global manufacturer of aerial work platforms and telehandlers, announced the JLG® 315G and 615G utility vehicles have received a 2017 Editor's Choice Award from Rental magazine.

The 315G and 615G were chosen as award winners based on several factors, including innovation, utility for the rental market, and audience engagement online at www.ForConstructionPros.com/Rental. According to the publication, products chosen for this honor are those that construction professionals have shown active interest in. "This year's winning products represent the best of what leading manufacturers have to offer for today's rental inventories," said Jenny Lescohier, editor of Rental.

JLG introduced the utility vehicles in March 2017, and was the first manufacturer of aerial work platforms and telehandlers to break into this market. The three-seat 315G and six-seat 615G gas-powered vehicles are manufactured through a partnership agreement with Arctic Cat and feature a 10-inch ground clearance with four-wheel drive and an independent suspension that keeps all four wheels on the ground during travel for superior traction and balance. The vehicles boast class-leading cargo capacities with a 1,000-pound capacity cargo box and 1,500-pound towing capacity.

www.jlg.com •



MOROOKA





Condux Tesmec PT1250 Hydraulic Puller-Tensioner

The PT1250 hydraulic puller-tensioner from Condux Tesmec provides industry-leading features like a negative self-acting hydraulic brake, an integrated hydraulic dynamometer, a hydraulic cooling system, advanced user controls and more.

This model offers 11,240 lbf (50 kN) of pulling or tensioning capacity and is designed for stringing one rope or one conductor. The bull-wheel grooves on the PT1250 are made from high resistance interchangeable nylon sectors. The PT1250 features a new digital interface with automatic power management and full safety controls.

Condux Tesmec offers a full line of hydraulic pullers, tensioners, puller-tensioners and stringing blocks representing the safest and most reliable equipment in the power transmission and distribution industry. Condux Tesmec also offers one of the largest and most diverse selections of conductor blocks on the market.

A full line of productivity-enhancing conductor stringing tools and accessories is also available including anti-twist rope, reel winders, reel stands and more.

www.conduxtesmec.com •

RUGGI DEPORTABLE VE BUILDS

Hogg & Davis has been proudly manufacturing utility line equipment for more than half a century.

Our trusted products are part of the fleets and tool cribs of hearly every investor- owned power and communications company in the United States and Beyond.





Hoss & Davis, Inc.

3800 EAGLE LOOP * ODELL, OR 97044

TEL 541.354.1001 * FAX 541.354.1080

WWW.HOEGDAVIS.COM

Miller Vi-Go™ Ladder Climbing Safety Systems

Miller Vi-Go™ Ladder Climbing Safety Systems from Honeywell provide the ultimate in safety with continuous fall protection when climbing fixed ladders. The systems are available in easy-to-install kits or as a build your own option.

The uniquely-designed, patent-pending Vi-Go Cable Sleeve automatically bypasses intermediate cable guides, keeping both hands free for climbing; travels smoothly along cable and locks instantly in the event of a fall — to provide uninterrupted fall protection.


In addition, no pins/chains or external parts to lose or damage means easy, one-hand operation.

Features

 Attachment mechanism engineered to prevent incorrect installation – Unit will not open if attached incorrectly




- Cable sleeve integrated shock-absorbing element Provides a "dual shock-absorbing system" to further reduce fall forces. Protects the system and ladder from damage
- Accommodate up to four (4) workers at a time



- Accommodate 5/16-in. (8 mm) or 3/8-in. (10 mm) cable
- Select Automatic or Manual Personal Fall Arrester Cable Sleeves - Both cable sleeves are designed to follow the user along the lifeline while ascending or descending, instantly locking in the event of a fall

Vi-Go System Kits with Automatic Pass-Through

- Uninterrupted fall protection
 Uniquely-designed, patent-pending Vi-Go Cable Sleeve automatically bypasses intermediate cable guides, keeping both hands free for climbing; travels smoothly along cable and locks instantly in the event of a fall
- Easy, one-hand operation for attachment/detachment from the system. No pins/chains or external parts to lose or damage
- Automatic pass-through cable guides secure lifeline to prevent cable wear and enable the system to accommodate curves.
- Withstand harsh environments
 The Vi-Go Cable



Unitrex XS* Max Wear. Unmatched performance in the field and in the boardroom.

Electric line stringing is easier and more economical with Unities". Made with a core of Honeywell Spectra", it is up to 10 times lighter than steel, while delivering comparable strength. The urethane-coated colyester jacket provides excellent agrasion resistance for great productivity that lasts.

To learn more, visit www.yalecordage.com





- Sleeve is constructed with durable, corrosion-resistant aluminum and stainless steel components
- Attachment mechanism engineered to prevent incorrect installation, ensuring greater safety. Unit will not open if attached incorrectly
- Cable sleeve integrated shock-absorbing element
- Accommodate 5/16-in.(8 mm)or 3/8-in.(10 mm)cable

Vi-Go System Kits with Manual Pass-Through

- Require manual removal/insertion of cable with intermediate guides.
- Cable guides secure lifeline to prevent cable wear.
- Manual Vi-Go Cable Sleeve follows the worker while ascending and descending.
- Cable sleeve locks instantly in the event of a fall.
- Accommodate 3/8-in. (10 mm)cable.



• Cable sleeve must be purchased separately.

Build Your Own System- For multiple system installations requiring cutting cable on site


On a job site, exact cable lengths may vary and pre-cut cable length system kits will not meet installation requirements.

The solution is to Build Your Own System by selecting the following components:

- Top bracket assembly
- · Bottom bracket assembly
- Vi-Go cable guides continuous or manual -(Minimum one (1) required per 40-ft. [12.2 m] length)¹
- Fast-Attach Fitting for 3/8-in.(10 mm) diameter galvanized steel cable
- Cable
- Vi-Go cable sleeve automatic or manual

www.millerfallprotection.com •







Milwaukee Delivers First One-Handed Overhead Transmission Cutting Experience

Milwaukee Tool continues to expand its line of FORCE LOGIC™* High Force Tools for Utility Linemen with the introduction of the M18™ FORCE LOGIC™ 9T Utility Cutter. A self-latching jaw design enables opening with just one hand, enhancing alignment while delivering easiest operation with Class 3 Gloves. The wire automatically closes the jaw, providing hands-free jaw closure and the easiest mid-span cuts.

"Hand ratchet tools put strain on the body and are difficult to use. Cordless transmission cutters are large, challenging to align, and have a latch-style cutting head that is extremely awkward to close around the wire during mid-span cuts. This ultimately makes set-up a three-handed operation," said Paige Bovard, Group Manager of Product Management for Milwaukee Tool. "Our self-latching design enables users to open the jaw with just one hand for easier alignment straight to the

wire. During those mid-span cuts, the wire automatically closes the jaw so the user doesn't need to juggle with pins or awkward reaching. Fully balanced and under 12lbs, this new solution delivers the best control for Linemen."

The fastest transmission cutter on the market, the new 9T Utility Cutter makes up to 60% faster cuts in 1590 Falcon ACSR. Equipped with an M18 $^{\text{m}}$ RED LITHIUM $^{\text{m}}$ XC 5.0 battery, it can deliver more than 200 cuts per charge.

As a complete problem-solving solution, the 9T Utility Cutter is compatible with the digital platform, One Key™, which allows the user to sync the tool wirelessly with their mobile device or desktop. Users will be able to monitor tool inventory, including tracking the location of missing tools and receiving alerts when lost tools are found. Furthermore, ONE-KEY™** will assist in tracking the utilization and service interval of the tools to maximize uptime and keep inventory lean.

CAT 4 //PV BOCal/ent' #20-1-10tat

SETTING NEW STANDARDS


BDG* ArcTek gloves are designed for ultimate protection - no matter how harsh the conditions

BRETEK





CAT 2 A PV 8.6cat/cm²







Tell Free, 1 855 215 7113

From the power plant, through transmission and distribution, it is Milwaukee's goal to improve reliability and productivity for Linemen by offering cordless solutions on one battery platform that will replace the heavy traditional corded, gas and truck hydraulic solutions used today. With a base of tools on the M18™ system already used by Linemen, the launch of gamechanging 6T Utility Cutters in 2015, the introduction of a 12T Utility Crimper, and three uniquely innovative Utility Cable Cutting solutions this year, Milwaukee is committed to making this goal a reality.

* FORCE LOGIC™ is engineered to not only improve upon, but fundamentally change the way high-force tools are used in the field. Through thoughtful design focused on workflow, each tool simplifies a complicated process to deliver the best user experience of its kind and the smartest way to work.

**ONE-KEY™ is the first digital platform for tools and equipment. By integrating industry-leading tool

electronics with a custom-built cloud based program, ONE-KEY™ provides a new level of control and access to information that revolutionizes the way work gets done. The ability to customize, track, and manage through ONE-KEY™ fundamentally changes the way users interact with their tools.

Specifications

M18[™] FORCE LOGIC[™] 9T Utility Cutter (2777-21)

Hydraulic Output Force: 9 Tons

Cut Capacity: up to 1590 Falcon ACSR

Length: 16.75"

• Weight: 11.75 lbs

Includes M18™ FORCE LOGIC™ 1590 ACSR Cutter, Side Handle, M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack, M18™ Lithium-Ion AC/DC Wall and Vehicle Charger, Milwaukee Carabineer, Manual, Utility Bag.

www.milwaukeetool.com •





THE POWER TO BE FIRST.

THE ENERGY TO STAY THERE.

> FAHT-ERTOCHOWYMTH RUEDERTRACKS OFFICH.

POWER & TECHNOLOGY MADE PRINOTH A LEADER.

TERO Halfad. TE beda had cosparated for animal impediaments, cospiand or all ylocal lowers (power till by applications Wood in a tode every together will power till by intrallerence of the bood or even the collaborates.

ter nov or environ: gewyktyfret (9), hett eini





The new QuiqliteX Rechargeable hands-free, multi-purpose light serves as a dual-powered reading light, a safety/location beacon strobe light and a searchlight.

The new QuiqliteX is the perfect solution for night shift workers from utility lineman, night watchmen and tow truck drivers to public safety workers and anyone else who needs light without having to hold a flashlight in their hands. Invented by a police officer to increase convenience and safety on the job, the QuiqliteX Rechargeable Dual White Light is the only hands-free, LED light source. Small and compact, the QuiqliteX is designed to clip on the inside of a shirt pocket.

A single on/off button, easily activated through a shirt pocket, operates three modes of operations; The first push of the On/Off button will activate a single white LED at 20 lumens to help preserve night vision. If more light is required, a second push will activate a second LED and increase the light's power to 75 lumens for both LEDs. QuiqLiteX is equipped with a 10 minute auto-off battery saving timer and continuous Safety Strobe. Now includeds QuiqFlare attachment, making you visible from over 1.5 miles away.

The patented, full-featured rechargeable QuigliteX LED

Dual White Light is much more than just a pocket light. It is an emergency light kit in your pocket. Depending on the mode, the long-lasting rechargeable battery will retain its power for up to 11 hours of continuous use. In the emergency strobe mode, with its flashing, high-visibility Dual White LED beam, the light can run continuously for up to five hours. The light's magnetized clip will attach to any iron-based metal surface to become a location beacon or warning of a hazardous situation. A flare adapter that enhances the strobe's visibility to over a mile away is also included.

The incredibly compact QuiqliteX Rechargeable Dual White Light measures only 1" X 3" and includes both a built-in shirt pocket clip and a heavy-duty magnetic clip adapter. To have the LED beam directed exactly where it is needed, the light's body can rotate 360° with an additional 160° up/down adjustment for the LED light arm. Using the included micro USB charging cable, the unit can be fully charged in about two hours and can be monitored by the charging indicator LED. To maximize battery power, the Dual White mode has a 10-minute automatic shutoff timer.

www.quiqlite.com •

A NEW GENERATION OF CRANE

Venturo service cranes will be reaching new heights in 2017.
With the addition of van cranes, enclosed service body cranes, new designs, new upfit options and added features on existing cranes, Venco Venturo Industries will be innovating like never before.

Stay tuned throughout 2017 for new and exciting changes with Venturo service cranes!







Seamless Integration





www.regscan.com

RegScan One Global Regulatory Software

Discover your software solution today!

With a dedicated staff of experts in four U.S. states and Washington D.C., and an ever-growing network of in-country resources, RegScan can always be counted on as a trusted resource for up-to-date regulatory information from every corner of the globe. RegScan has consistently outpaced a growing league of competitors in the industry niche we incepted, by offering unique solutions to our Fortune 1000 customer base. Whatever business you're in, we can assist you with your compliance needs. Our vast product line includes online compliance solutions for a variety of industries:

- Manufacturing
- Transportation
- Energy
- Chemicals and more!

RegScan's unique online tools enable easy access to, and interpretations of, global environmental regulations and operational standards. Do your research and get your alerts through the RegScan One system, or have your content exported via web services to any online environmental management system. Users of the RegScan One system can create custom legal registers and audit protocols for more than 140 jurisdictions. Access the interface in nine languages:

- English
- Chinese
- French
- German
- Italian
- Japanese
- Malay
- Portuguese
- Spanish

Educational Resources

Webinars

RegScan understands that staying in compliance is critical. But it doesn't have to be complicated. That is why we host webinars several times throughout the year that help our clients tackle ever-evolving problems in the EHS industry. Prior topics covered included regulatory overviews, the Changing Role of the EHS Manager, and ISO 14001:2015. Such topics specifically address the newest industry standards while banishing compliance confusion, provide necessary tools to manage today's EHS challenges and reduce time and money spent on compliance activities.

Tutorials

RegScan also produces a number of helpful videos for our users. They answer most commonly asked questions on using the RegScan One interface. You may wish to visit our Informational & Tutorial Videos Page prior to submitting a ticket to see if your question can be answered with the assistance of one of these videos.

Quality Suite

RegScan has introduced audit protocols and checklists geared to quality management in healthcare.

They cover the basic ISO 9001 and Quality Systems, Medical Devices (United States and the European Union), and Pharmaceuticals.

I-Comply Checklists have been added to provide Environmental, Health, Safety, Security for Data Centers and Offices. When you still have EH&S issues, but not the intensity of a manufacturing opera-

tion

Tracking Regulatory Change

Strikethrough

Strikethrough allows you to effortlessly see the amendment history of a regulation by comparing the current regulation with an earlier or future version. Changes are easily identified by color-coding. Anything that has been added will appear in green, while anything that has been deleted will appear in red.

My WatchList

My WatchList is a custom regulatory change management tool that allows you to monitor change at various levels of detail. It gives you quick access to only the information you need, while providing a clear record of what you have and haven't reviewed. My WatchList is the easiest way for a Web Services user to build a custom regulatory register, which RegScan will automatically export to your online environmental management system.

LookOut Email Alert

By defining specific keywords or phrases, LookOut allows you receive daily Email alerts on State or Federal regulatory changes.

RegScan Customer Support As part of our ongoing commitment to improve the RegScan user experience, we use a ticketing system for customer support inquiries. This allows us to streamline requests and better serve you. Available 24/7, the ticketing system allows you to immediately report an issue and track the support team's response to it. Every support request is assigned a unique ticket number. For your reference, we provide complete archives and history of all your support requests. A valid email address is required to submit a ticket.


Schedule a Demonstration

The RegScan team will gladly demonstrate any of our products or services for free. Our online demonstration sessions can accommodate up to 25 people, and we will schedule a meeting whenever it's convenient for you. During these interactive demonstrations, our experienced staff will go through whatever products or services interest you. You'll also have the opportunity to ask questions, and discuss licensing options that are tailored to your needs. If you decide to purchase, we can take of your training and support needs too. We frequently update our library of training videos, and we'll be happy to arrange online or in-person training sessions. Furthermore, our inhouse technical support team is always available on weekdays (except for holidays) between 8 a.m. and 8 p.m. Eastern time, and online 24/7.

To learn more about RegScan, please call +1 570-323-1010, or Email info@ regscan.com.

Also find us on LinkedIn and follow us on Twitter @RegScanOne!

www.regscan.com



CUT & PUNCTURE RESISTANT

Offering 12 Styles of Keviar® Lined Work Gloves



TITAN IMPACT RESISTANT LINED WITH KEVLAR* mfq# 09-9083-10



GENERAL UTILITY LINED WITH KEVLAR* INIG# 05-3080-70



FR LEATHER LINED WITH KEVLART WIDE-CUFF mig# 12-3275-60





Contact Us About Wear Trials

info@ytgloves.com www.ytgloves.com 800-680-7177









Too many sites? Too hard to coordinate? Too costly to send auditors?
Having difficulty comparing results across the locations you have inspected?

If you said yes to any of these questions, how can you be sure that those sites are in compliance with your Global EHS compliance and risk programs?



Learn More by Visiting

www.regscan.com/products/icomply





Terex_® Launches Latest Enhancement in the Hi-Ranger_™ Distribution Aerial Device Product Line- the Optima_™ Series at ICUEE

Terex Utilities debuted the Optima Series of enhanced aerial devices used for construction and maintenance of distribution lines at the International Construction & Utility Equipment Expo (ICUEE), Oct. 3-5, in Louisville, Ky. The new Optima™TC, TCX, HR, and HRX Series feature product enhancements in the heart of the Hi-Ranger™ aerial device product line.

"Performance, productivity, and safety are among the top concerns of electric utility customers," said Joe Caywood, Director of Marketing. "Terex Utilities has responded to customer requests time and again in an effort to provide continuous improvement of our products that are rooted in these three areas of focus."

"Optima is built on the strong foundation of Hi-Ranger, designed to provide greater reliability, efficiency and simplified operation and maintenance," said Joe Caywood, Director of Marketing. Product improvements include greater payload capacity, better boom speeds, enhanced side reach and ground access, as well as features that improve maintenance access and reliability on the Optima Hi-Ranger aerials.

Operation

"When it comes to payload capacity, operators always want more. Crews want to carry as much gear and equipment on their trucks as possible," said Ted Barron, Vertical Market Product Manager. By using higher strength steel to reduce overall vehicle weight, Optima TCX and HRX now offer up to 1,000 pounds more vehicle payload capacity, depending on specific configuration and stability requirements.

Improved boom speeds and responsiveness have been accomplished by redesigning the hydraulic circuit and optimizing the hydraulic cylinders.

An expanded working range optimizes capacity and supports improved ground access. "The lower ground access makes it easier for operators to hand off tools to ground personnel, clean out debris in the bucket and is useful in operator recovery situations," said Caywood.

Optima TC and HR models boast three feet more side reach. A visual indicator light shows the operator when the boom moves into the extended reach area of the working range. The addition of the optional Load Alert system further enhances safe work practices by monitoring the truck's jib and basket capacity.

In addition, all Optima aerial devices now have 700-pound platform capacity as standard. Optional 800-pound capacity platforms are available on the Optima TCX and HRX models. An optional two single man 24 x 30-inch platform is available with capacity of 700 pounds (350 lbs. for each bucket).

Maintenance

Over the life of the aerial device, simplified maintenance increases uptime for fleet managers and improves operation. The leveling chain now has extended life of 10 years before replacement (based on typical utility usage). At five years the inspection does not require the chain to be removed. A new pedestal design on all Optima models provides technicians easier access to torque lower rotation bearing bolts, which are now accessible on the outside of the pedestal. Plus all hydraulic fittings located above the boom rotation are sealed with O-rings, reducing leaks. Finally, all Optima aerial devices feature powder-coated finishes for longer life. "All of this adds up to less downtime and less cost for servicing the aerial device, which lowers the total cost of ownership," said Caywood.

Specifications

Optima TC and TCX Series, Non-Overcenter Material Handling Aerial Devices

OPTIMA MODEL	Working Height	Side Reach	Platform Capacity	Jib Capacity*
TC50	55.0 ft. (16.8 m)	39.3 ft. (12.0 m)	700 lbs. (318 kg)	2000 lbs. (907 kg)
TC55	60 ft. (18.3 m)	42.8 ft. (13.0 m)	700 lbs. (318 kg)	2000 lbs. (907 kg)
TCX50	55.0 ft. (16.8 m)	39.3 ft. (12.0 m)	800 lbs. (363 kg)**	2000 lbs. (907 kg)
TCX55	60.0 ft. (18.3 m)	42.8 ft. (13.0 m)	800 lbs. (363 kg)**	2000 lbs. (907 kg)
TCX60	65 ft. (19.8 m)	46.4 ft. (14.1 m)	800 lbs. (363 kg)**	2000 lbs. (907 kg)

^{*}Maximum with Hydraulic articulating jib/winch, extend underload side mount option depending on stability

Optima HR and HRX Series, Overcenter Material Handling Aerial Devices

OPTIMA MODEL	Working Height	Overcenter Side Reach	Platform Capacity	Jib Capacity*
HR46	51.0 ft. (15.5 m)	40.4 ft. (12.3 m)	700 lbs. (318 kg)	2000 lbs. (907 kg)
HR50	55.0 ft. (16.8 m)	43.2 ft. (13.2 m)	700 lbs. (318 kg)	2000 lbs. (907 kg)
HR55	60.0 ft. (18.3 m)	48.2 ft. (14.7 m)	700 lbs. (318 kg)	2000 lbs. (907 kg)
HRX50	55.0 ft (16.8 m)	43.2 ft. (13.2 m)	800 lbs. (363 kg)**	2000 lbs. (907 kg)
HRX55	60.0 ft. (18.3 m)	48.2 ft. (14.7 m)	800 lbs. (363 kg)**	2000 lbs. (907 kg)
HRX60	65.0 ft. (19.8 m)	53.2 ft. (16.2 m)	800 lbs. (363 kg)**	2000 lbs. (907 kg)

^{*}Maximum with hydraulic articulating jib/winch, extend underload side mount option depending on stability

www.Terex.com •



^{**}Optional platform capacity

^{**}Optional platform capacity



Save your Company \$6,500 per year PER WORKER with this Revolutionary Product!

www.aerialtoolbin.com 262-825-6784

 Made of reinforced, oceaneductive. UV protected pulypropylene mange plastic.
 Light durable, and ready as abong as steel.

 Attaches to square or rounded 30 degree corners second to the railings with two locking boths

Telangular shaped to provide maximum

working area and freedom from clutter.

- Three contrariments with removable partition walls.


 The movable parts tray is magnetic and obtaches to the metal strips on top of the tim. (included for a limited time while supplies tast)

· Your last belt is safely secured to the transaftire bin.

Save Time Money & BACK PAIN



GREENMACHINE



THE NEWLY DESIGNED DPT40E IS POWERED BY A REGENERATIVE ELECTRIC MOTOR, ELIMINATING THE NEED FOR DIESEL AND HYDRAULIC OIL.

FOR SALES INQUIRIES, PLEASE EMAIL US AT SALES@ISE-INTERNATIONAL.COM





Applicability Wizard

RegScan ONE One World, One Platform

Streamlined, Simplified, Legal Registers & Audit Protocols



Gear Keeper's New RT3-5605 Retractable Tether

Gear Keeper's new RT3-5605 heavy-tool retractable tether's ultra low profile keeps tools close to the body when stored while still allowing complete accessibility when in use. The retractor employs a very low 7 oz force to avoid arm strain when extended, but strong enough to keep the line taught to avoid snagging or interference with the work being performed. The retractor mechanism's force is designed to retract the lanyard, not the tool. When the tool is retracted, lanyard exposure is minimized to avoid snagging, especially when the tool is also placed in a tool bag/pouch.

Using a retractable tether for heavy hand tools is particularly important when working in close quarters or climbing. Gear Keeper's new RT3-5605 heavy-tool retractable tether's ultra low profile keeps tools close to the body when stored while still allowing complete accessibility when in use. Like other retractables in the Gear Keeper line, the RT3-5605 is engineered so that the tool, application and recoil/retraction force are in balance. Designed to avoid worker fatigue in order to maintain productivity, only minimal force is necessary to extend the RT3-5605 tether for use.

www.gearkeeper.com



HD Electric Launches ClearTest™ Transformer Tester



HD Electric Company, a Textron Inc. company has launched its ClearTest™ Transformer Tester, a compact and lightweight handheld device to quickly, easily and safely test all distribution connectors in a transformer. The device looks both inside and outside the transformer, testing the coil, core and whatever the transformer connects to, alerting the user of any open circuits or short circuits, as well as notifying the user that the transformer is OK to work on

The ClearTest™ Transformer Tester is a completely new design that briefly energizes the transformer and takes a snapshot of its condition by measuring the voltage, current and power factor of the test signal. The one-button interface quickly and easily verifies that the transformer and its secondary connections are neither open nor shorted and provides an audible alarm to confirm a successful test.

The ClearTest™ Transformer Tester is compatible with new or reworked, single or three phase transformers and all the connections made to them, up to and including the revenue meter.

www.HDElectricCompany.com

Utility Solutions, Inc. Introduces Two Sizes of Telescopic Range Poles

Utility Solutions, Inc. has responded to market demands and introduced two sizes of Telescopic Range Poles for the electrical distribution market. The BLUE STRIPE® Telescopic Range Poles went on sale this Spring and are available for immediate delivery.

"We are responding to customers who could not find a steady supplier of Range Poles", said Roger May, Sales Director for Utility Solutions, Inc. "Some reported lead times of more than 6 months. We used all of our resources and experience in the fiberglass industry and quickly created a solution. The Range Pole should have an immediate and positive impact on the market."

Range Poles have offered field personnel a simple and reliable method of sighting and measuring for many years. The red and yellow contrasting sections allow for long distance visibility and the compact, telescoping design makes for easy transport. From setting poles to conducting terrain surveys, the BLUE STRIPE® Range Poles offer a compact and robust option for both utilities and contractors.

www.utilitysolutionsinc.com



PIONEER OF TOMORYSINNOVATIONS.



See us at ICUEE 2017 Booth L316



History speaks for itself. Torce Diffice has a legacy of innextive self, from that have changed the industry — from the first hydraulic digger cernox to connecent to not of the Terce* Load Alert * system. We provide game-changing solutions that work for our custome's and plan to continue well not the future. Terce Works for Your by listening and taking action. We are here to help solve your distinguishments and services if at It your meeds.

www.teres.com/utilities



WORKS FOR YOU."

TUS AD INDEX

Company	Pg.	Website
Aerial Tool Bin	27	www.aerialtoolbin.com
Asher	13	www.alasher.com
Bob Dale Gloves	15	www.bobdalegloves.com
Buccaneer Rope	6	www.bucrope.com
EZ STAK	IFC	www.EZSTAK.com
HammerHead Trenchless	3	www.hammerheadtrenchless.com
Herculock	6	www.herculock.com
Hogg & Davis	9	www.hoggdavis.com
Krenz Vent	2	www.krenzvent.com
Morooka	7	www.morookacarriers.com
Nesco	IBC	www.nescorentals.com
Prinoth	17	www.prinoth.com
R & R Lotion	12-13	www.rrlotion.com
Rayco	ВС	www.raycomfg.com
Regscan	23, 29	www.regscan.com
Tallman Equipment	5	www.tallmanequipment.com
Terex	31	www.terex.com
Time Versalift	1	www.versalift.com
TSE	28	www.tse-international.com
Venco Venturo	19	www.venturo.com
Warehouse Equipment	4	www.warehouseequipment.com
Yale Cordage	11	www.yalecordage.com
Youngstown Glove	22	www.ytgloves.com





RESPONSIVENESS AND SUPPORT SECOND TO NONE

NESCO Rentals" isn't just a premier provider of utility rental equipment, but a leader in responsiveness and support for all customers. Dedicated rental and service teams, combined with one of the industry's largest rental fleets, ensure NESCO meets your job site needs. Call us now to experience our superior customer service.










Visit our website, build a quote, outfit your vehicles and get to work.

(800) 252-0043 | www.nescorentals.com





MECHANICAL TRIMMER







RAYCO EXCLUSIVE FEATURES

- Compact, non-articulated design
- 3-mode steering, (front axie, 4-wheel, and crab steer).
- Machine leveling
- Confortable operator cabin.

