



Partnering with Ring Power gives you access to a vast range of jobsite-tough products to round out your fleet. Ring Power carries machines from dozens of manufacturers to ensure you always have access to the right tools for your job. Short-term, long-term or rental-purchase options available.

















THE FUTURE IS BRIGHT.

WITH A NEW MANUFACTURING FACILITY, ADDITIONAL SERVICE CENTERS AND EXPANDED SERVICE AND PARTS TEAM



We're more prepared than ever to deliver.

For more than 75 years, Terex Utilities has been a pioneer of insulated and digging equipment for the electric utility industry. Along the way, we've established a pattern of innovation and continuous improvement in order to deliver solutions so linemen can be productive and keep the lights on for their customers. This is an exciting time in Terex Utilities' history – with strategic investments being made in our manufacturing capabilities, our service footprint, new products, team members and overall customer experience. The future is looking bright, and we're excited to continue delivering equipment and service solutions to the electric utility industry – now better than ever.

Give us a call at 844-TEREX-4U for your equipment, service and parts needs.


www.terex.com/utilities



WORKS FOR YOU.

TUS Contents • March 2021

PG 4	Hastings' Ground Mat Protects Lineworkers
PG 6	Terex Utilities Names Top 5 New Tech Tips of 2020
PG 12	DEWALT. Releases Corded DrywallSander
PG 14	Terex Utilities Highlights Four New Products as Part of TechAdvantage Virtual Show
	Insulated Z-45 Boom Lift from Terex Utilities Supports Power Substation Work Practices
PG 16	
PG 22	Monthly Buyer's Guide
1022	Ad Index
PG 24	



UTILITYSOURCE

Products and Services for Today's Electric, Telecom, and CATV Utilities

Vol. 21 Issue 3

PUBLISHER

Glen Hobson 205-441-5591 glen@tipsmag.net

ADMINISTRATIVE DIRECTOR

Steven Hobson steven@tipsmag.net

EDITOR

Brandon Greenhill brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill jacklyn@handfmedia.net

P.O. Box 1568 · Pelham, AL 35124 Phone: 205-441-5591 · Fax: 205-624-2181 www.theutilitysource.net info@theutilitysource.net



The Utility Source™ is published twelve times a year on a monthly basis by H & F Media, Inc. The Utility Source™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Utility Source™ is distributed to Power, Telcom and CATV Utilities and Utility Contractors throughout the USA. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to H & F Media, Inc. P.O. Box 1568 Pelham, AL 35124 PRINTED IN THE USA

Making perfect connections has never been simpler. In fact, now it's a

NEW SNAP Connectors from

Greaves. A revolutionary compression connector concept that gets the job done with just a few turns of a standard wrench!


- Time-saving, easy installation
- Superior pull-out strength and conductivity
- No bulky and costly tools and dies






Hastings' Ground Mat Protects Lineworkers

As a worldwide manufacturer of hot line tools and equipment, Hastings understands that every day has the potential to bring the unexpected to lineworkers. That is why Hastings designs every product, including our protective Ground Mat, with safety in mind.





Hastings' Ground Mat is available in three sizes and two different types of material, standard yellow and black anti-skid. Multiple mats can be bond together. These mats are also reversible, easy to store, and easy to clean with standard hose pressure or a power washer.

This product can be found on page 420 of Hastings' online catalog. For more information, call (269) 945-9541 or visit www.hfgp.com.

Hastings is a world-class manufacturer of fiberglass products and tools for the electrical power and communications industries. Since 1959, Hastings has pioneered design and fabrication of hot line tools to withstand today's toughest field conditions. With a passionate commitment to innovation, Hastings products make the job safer and easier.

www.hfgp.com





Step 1: Remove Damaged Conduit



Step 2: Cut Split Duct Conduit to Fit



Step 3: Snap in



Step 4: Attach



Step 5: Finish Job in Record Time

REPAIR CONDUITIN A SNAP!

- No Tape
- No Plastic Straps,
- No Metallic Straps

NO KIDDING!

Designed especially for power, communications, and fiber optics







"The World Leader In Split Conduit Products"



800-670-1804

fax: 435-673-8724

email: crs@conduitrepair.com

Please Visit Our Website at WWW.CONDUITREPAIR.COM




Terex Utilities regularly distributes Tech Tips to provide service personnel with information to make their jobs easier. In 2020, the Terex Utilities Services Department shared 26 new tips, which join an archive of more than 100 topics.

"We offer comprehensive tools to help technicians troubleshoot equipment and get it back in service as quickly as possible," said Jason Julius, Technical Support and Training. "Whether it's parts, training, inspection and rebuild services, or just answers to frequently asked questions, our goal is to provide solutions for every stage of your equipment's life," he said.

Over the course of the year, nearly 13,000 Tech Tips were downloaded by customers. Many topics are based on common questions. New this year were articles on identifying the recommended hydraulic oil and how to properly maintain the joint between fiberglass and steel connections. Other Tech Tips relate to specific Terex digger derricks, aerial devices, or auger drills. Tech Tip #134, for example, addresses how to adjust wear pads for TM models with end-mount platforms. The Hi-Ranger TM Series is a heavy-duty transmission aerial device used by line crews, offering working heights to 125 ft., basket capacities of up to 800 lbs., and material handling capacities of 1,500 lbs.







The Top 5 most popular Tech Tips of the 26 new posts in 2020 are:

#102 PTO Light is Flashing

#140 Disinfecting a Unit

#126 Replacing Leveling Chains

#109 Performing a Flow Test on a Pump

#63 Performing a Flow Test on a Valve Assembly

These and other technical support documents are available online at the Technical Support tab at www. terex.com/utilities, or users can sign up to receive email notifications at https://www.terex.com/utilities/en/links/preferences.

About Terex

Terex Corporation is a global manufacturer of lifting and material processing products and services delivering lifecycle solutions that maximize customer return on investment. Major Terex brands include Terex, Genie and Powerscreen. Terex solutions serve a broad range of industries, including construction, infrastructure, manufacturing, shipping, transportation, refining, energy, utilities, quarrying and mining. Terex offers financial products and services to assist in the acquisition of Terex equipment through Terex Financial Services. More information about Terex is available on its website: www.Terex.com, and on its LinkedIn page -- www.linkedin.com/company/terex and Facebook page -- www.facebook.com/Terex-Corporation.

www.Terex.com



With XINSURANCE, You Get...

- > All-In-One Approach
- > Agent Friendly
- > Limits up to \$10MM
- Property & Casualty
- > Professional Liability
- Commercial Auto Liability (available in most states)
- Products Liability
- Exclusions/Gaps in Current Coverage & More


XINSURANCE is powered by Evolution Insurance Brokers, LC ("EIB"), an excess and surplus lines insurance brokerage. XINSURANCE is a DBA of EIB, which is domiciled in and has its principal place of business in Sandy, Utah. This insurance product is offered by an unlicensed surplus lines insurer. The NPN for EIB is 5464658 and CA license number is 0H93938.

Ask us
about our new
coverage option –
Communicable
Disease
Liability

To get your free custom insurance quote for the construction industry, visit www.xinsurance.com

You can also contact Logan Fitzgerald directly at 801.304.5562 or loganf@xinsurance.com







DWE7800 Replaces Legacy PORTER-CABLE Corded Drywall Sander With Several Upgrades

DEWALT announces its new Corded Drywall Sander (DWE7800), which will replace the legacy PORTER-CABLE CordedmDrywall Sander (PC7800). The DEWALT unit is designed with several upgrades including a wider variable speed range** for greater sanding control, over 4X longer drive shaft life, and hook and loop backing pads for standard 9-In. hook-and-loop sanding discs.

In addition, the DWE7800 features a built-in AirLock™ connection port allows for quick connection to DEWALT dust extractors (DWV010 and DWV012, sold separately) without the need for a separate adaptor. A dual-action switch design enables momentary and locked-on usage while a rubber over mold handle provides comfort and grip. The DEWALT Corded Drywall Sander accepts soft and hard backing pads for finishing and materials removal applications. The DWE7801 Soft Backing Pad (included) and DWE7802 Hard Backing Pad (sold separately) are compatible with both the DEWALT 20V MAX* Cordless Drywall Sander (DCE800) and new Corded DWE7800

The DEWALT Corded Drywall Sander is available for pre-order now through DEWALT representatives and for live ordering in Q2 2021. The DWE7800 will be kitted with the DWE7801 Soft Backing Pad for \$459 MSRP. For more information on DEWALT tools visit www.DEWALT.com.

as well as the DEWALT line of 9-In. hook-and-loop drywall

sanding paper and mesh (sold separately).

- *- Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.
- ** vs. PC7800 vs. PC7800 when using DWE7800 and PC7800 in highest speed settings with no load

www.DEWALT.com



At the virtual TechAdvantage Experience, held in late February through early March, Terex Utilities shared new technologies that support electric cooperatives' best practices. "Even though we are not able to meet with customers in person, we believe it's important to stay engaged with the industry and to listen to their needs and challenges any way possible," said Joe Caywood, Director of Marketing.

TechAdvantage is known for being a backdrop for innovation in the electric utility industry. Over the years, Terex Utilities has frequently debuted equipment at this show. "This year's virtual event is no different. We are introducing more new products and technology than at any time in our history," said Caywood. Additional introductions will continue to be made leading up to The Utility Expo in September.

The Z-45 Substation Utility Boom (SUB) is purpose built for substation work and other applications where an insulated device is needed, but where traditional bucket trucks won't work. The Z-45 SUB with maximum platform height of 45'6" and horizontal reach of 24'9", is a mobile elevated work platform featuring a fiberglass jib section and fiberglass platform. Providing superior maneuverability, it has zero tail-swing and 355-degree rotation in tight quarters. Self-propelled control and up-and-over capability increase its flexibility. For more information on the Z-45 SUB, visit: https://www.terex.com/utilities/en/products/aerial-devices/substation.

STAY SAFE ON THE JOB



Maximize operational awareness

Records up to 5 HD cameras and 512GB of storage

Encourage safe and effective practices

Use footage as first-hand training videos

Combat false accusations

The truth lies in the recorded video

800.851.4764
cementcamerasales@safetyvision.com

www.safetyvision.com

SAFETY
VISION

MOBILE VIDEO SURVEILLANCE SOLUTIONS




Terex Utilities also shared a new Hi-Ranger™ TL48 articulated & telescopic aerial device that is optimized for the new super duty chassis such as the Ford F600, International CV and Chevy 6500 chassis. The 53 ft. working height unit has superior jib capacity balanced with strong payload capacities to meet the needs of trouble truck applications.

The newest addition to the HyPower™ hybrid solutions is the Viatec SmartPTO for Hi-Ranger Aerial Devices and Commander and General Digger Derricks. This simple and reliable product reduces idling, increases fuel savings, and minimizes noise and air pollution by utilizing stored plug in electric power to operate the equipment. The SmartPTO significantly lowers the cost of engine related expenses by reducing fuel costs and wear and tear on the engine due to idling. Overall troubleshooting and repair costs are also reduced thanks to the on-board diagnostics and telematics capabilities. The system is maintenance free due to the brushless permanent magnet motor, Lithium NMC batteries, and absence of internal service parts. For more information on the SmartPTO, visit: https://www.terex.com/utilities/en/products/terex-hypower-viatec-smartpto

The Terex® Positive Attachment Lanyard warning device, or "PAL in the Bucket" is becoming a preferred option on Terex Hi-Ranger LT40 and XT Pro aerial device models. Introduced in 2017, PAL provides audio and visual warnings when controls are engaged and the lanyard has not been attached to the lanyard anchor

ROME



ROME Plow has been the premier name in heavy duty disc plows for over 87 years.

ROME has been manufacturing pivot dump and ejector scrapers for over 45 years for the construction and agricultural industries.

ROME also manufactures a full line of leveling scrapers (with and without gates) and haul road maintenance tools (with and without rollers)

For more information on our products or for the closest authorized ROME dealer please contact us.





in the bucket. The system is designed to reduce the chance of an operator elevating the bucket without a lanyard attached.

"Each of these products are examples of how Terex Utilities develops solutions using interactive, collaborative processes with customers and partners to meet the needs experienced in the field," said Caywood.

See Terex Utilities' TechAdvantage tradeshow video at https://vimeo.com/510762850/b53b1dca44.

About Terex

Terex Corporation is a global manufacturer of lifting and material processing products and services delivering lifecycle solutions that maximize customer return on investment. Major Terex brands include Terex, Genie, Powerscreen and Demag. Terex solutions serve a broad range of industries, including construction, infrastructure, manufacturing, shipping, transportation, refining, energy, utilities, quarrying and mining. Terex offers financial products and services to assist in the acquisition of Terex equipment through Terex Financial Services. More information about Terex is available on its website: www.Terex.com, and on its LinkedIn page -- www.linkedin.com/company/terex and Facebook page -- www.facebook.com/TerexCorporation.

www.Terex.com •




TRACKED DIGGER DERRICKS & AERIALS

- 57' working height (aerial)
- Exclusive hydraulic fold-out/removable bucket (digger derrick)
- Can be towed on a 10 ton trailer behind a line truck
- Sets up to 65' poles / 24" diameter

- 2.25 psi ground pressure (loaded), 17,500 lbs, 134 hp
- Super stable 45° hydraulic radial outriggers
- The shortest production lead times in the industry



For more information or to schedule a demonstration contact UTV International today. 1-800-985-8665



Terex Utilities announces the new Genie® Z-45 Substation Utility Boom (SUB). The Z-45 SUB is a purpose built mobile elevated work platform (MEWP). It is designed for substation work and other applications where an insulated device is needed but use of traditional bucket trucks is prohibitive due to size and maneuverability. Traditional all steel aerial work platforms do not provide dielectric protection and have inherit differences of potential from the chassis ground to the boom tip that require specialized work practices and grounding.

MADE FOR MORE TO KEEP PACE WITH YOU



You begin each day before dawn with a drive and determination to do more than the day before. When you move at this pace, you know to do more you need equipment that is made for more. That's why our utility line and land clearing equipment, like our Forestry Mulchers and Aerial Trimmers, is built from the ground up to meet your needs, delivering:

More Power and Production

Lower Operating Costs

Greater Reliability

Better Safety Features

Superior Operator Comfort and Control

If you're ready to operate equipment that's made to keep pace with you, then we invite you to go to morbarkdealers.com to find your local authorized Morbark or Rayco dealer. Your dealer will work with you to assess your needs now and in the future, as well as offer equipment recommendations, financing options, wear parts and service if you should ever need it.

Equipment is available for **SALE** or **RENT**.



"The Z-45 SUB's features isolate the boom tip from the chassis ground, which eliminates the need to perform boom tip grounding," said Joe Caywood, Director of Marketing. "The concept for the Z-45 SUB was first shared with customers in late 2017 and early 2018. The final product is the result of collaboration with substation operations and engineering teams and is the only insulated aerial device of this kind currently available on the market."

Featuring a fiberglass jib section and fiberglass platform with swing gate, the Z-45 SUB complies with ANSI A92.2 standard for Category E insulating rating of 20 kV, as measured between the boom tip and the chassis. The standard fiberglass platform comes with floor grating and optional cutouts for increased visibility, access and water egress.

The Z-45 SUB has zero tail-swing and 355-degree rotation in tight quarters, self-propelled control, and upand-over capability of the boom to give utility workers greater positioning flexibility. Operators can precisely position the boom with fully proportional drive and boom functions. Lift Guard Contact Alarm provides a secondary warning designed to reduce crushing hazards. If an operator is caught between the controls and another object, a breakaway cable activates to disable lift and drive functions and trigger visual and audible alarms.


Based on the Genie Z-45 XC, the articulating boom has a maximum platform height of 45'6" and horizontal reach of 24'9". Continuously monitored load sensing enables dual work zones with capacity of 660 lbs. at maximum outreach or 1,000 lbs. in the maximum capacity zone. If the platform is overloaded, all lift and drive functions are interrupted, and the engine will shut down. Function is restored by removing the excess load.

For more information about the Z-45 SUB, visit: https://www.terex.com/utilities/en/product/substation/z-45-sub

About Terex

Terex Corporation is a global manufacturer of lifting and material processing products and services delivering lifecycle solutions that maximize customer return on investment. Major Terex brands include Terex, Genie and Powerscreen. Terex solutions serve a broad range of industries, including construction, infrastructure, manufacturing, shipping, transportation, refining, energy, utilities, quarrying and mining. Terex offers financial products and services to assist in the acquisition of Terex equipment through Terex Financial Services. More information about Terex is available on its website: www.Terex.com, and on its LinkedIn page -- www.linkedin.com/company/terex and Facebook page -- www.facebook.com/TerexCorporation.

www.Terex.com •



Unitrex XS™ Max Wear. Unmatched performance in the field and in the boardroom.

Electric line stringing is easier and more economical with Unitrex[™]. Made with a core of Honeywell Spectra[®], it is up to 10 times lighter than steel, while delivering comparable strength. The urethane-coated polyester jacket provides excellent abrasion resistance for great productivity that lasts.

To learn more, visit www.yalecordage.com



Monthly Buyer's Guide

- Buccaneer Rope
 22319 Alabama Hwy.79
 Scottsboro, Al 35768
 800-358-7673
 www.bucrope.com
- Cleanfix Reversable Fans
 250 Wright Blvd.
 Stratford, ON, CN N4Z1H3
 866-489-3267
 www.cleanfix.org
- Conduit Repair
 761 Enterprise Dr. # 1
 St. George, UT 84790
 800-670-1804
 www.conduitrepair.com
- Greaves USA

 30 Industrial PK.
 Centerbrook,CT. 06409

 800-243-1130

 www.greaves-usa.com
- Hogg Davis
 3800 Eagle Loop
 Odell, OR. 97031
 855-883-4909
 www.hoggdavis.com

- Manitex USA
 3000 S. Austin Av.

 Georgetown, TX. 78626
 877-314-3390

 www.manitex.com
- M.B. Crushers
 8730 Technology Way
 Reno, NV. 89521
 855-MBCRUSH
 www.mbcrusher.com
- Morooka USA

 11191 Air Park Rd.

 Ashland, VA. 23005

 www.morooka.com
- Morbark
 8507 S. Winn RD.
 Winn, MI. 48896
 800-831-0042
 www.morbark.com
- Ring Power
 9901 Ringhaven DR.
 Orlando, FL. 32824
 407-855-6195
 www.ringpower.com

- Rome Plows475 N.6th. St.Cedartown, GA. 30125770-748-4450www.romeplow.com
- Terex Utilities
 1901 -14th AV. N.W.
 Watertown, SD. 57201
 800-233-2972
 www.terex.com
- U.T.V. INTERNATIONAL 8850 Danley Rd.
 Quebec,CN. H4T1M4 514-345-0990
 www.utvint.com
- Yale Cordage
 77 Industrial Park Rd.
 Saco, ME. 04072
 207-282-3396
 www.yalecordage.com



RENTAL EQUIPMENT THAT WORKS AS HARD AS YOUR CREW

NESCO isn't just a premier provider of utility rental equipment, but a leader in responsiveness and support for all customers. Dedicated rental and service teams, combined with one of the industry's largest rental fleets, ensure NESCO meets your job site needs.

AERIAL > DIGGERS > CRANES > STRINGING EQUIPMENT UNDERGROUND > TOOLS & ACCESSORIES



800-252-0043 www.NESCORENTALS.com











Ad Index

Company	Pg.	Website
Buccaneer Rope	8	www.bucrope.com
Conduit Repair	5	www.conduitrepair.com
eMars Inc	24	www.emarsinc.com
Greaves	3	www.greaves-usa.com
Hogg Davis	IBC	www.hoggdavis.com
Krenz Vent	2	www.krenzvent.com
Manitex	7	www.manitex.com
Morooka USA	ВС	www.morookacarriers.com
Nesco	23	www.nesco.com
Rayco	19	www.rayco.com
Ring Power	IFC	www.ringpower.com
Rome Plow	15	www.romeplow.com
Safety Vision	13	www.safetyvision.com
Terex	1	www.terex.com
UTV	17	www.utvint.com
X Insurance	9	www.xinsurance.com
Yale Cordage	21	www.yalecordage.com



BUUGG DE BUILDS

Hogg & Davis has been proud manufacturing utility line equipmen for more than half a centur







HOGG & DAVIS, INC.

3800 EAGLE LOOP • ODELL, OR 97044
TEL 541.354.1001 • FAX 541.354.1080

WWW.HOGGDAVIS.COM





Call: 800-365-7260

OR

Visit: morookacarriers.cor