THE UTILITY SOURCE Products and Services for Today's Electric, Telecom, and CATV Utilities

Manhole Cover Removal the Serious Risk to Workers

New LineWise TH-500A Series & Triple Line Lifter for Subtransmission Applications Features Hydraulia Articulation, Extension and Retraction

mil

Your Trusted Partner.

Partnering with Ring Power gives you access to a vast range of jobsite-tough products to round out your fleet. Ring Power carries machines from dozens of manufacturers to ensure you always have access to the right tools for your job. Short-term, long-term or rental-purchase options available.















1-844-766-RENT • Utility RingPower.com



The New Standard for Linemen

At Tallman Equipment, our priority is to set the standard in the electric transmission and distribution industry with an all-inclusive approach to serving our customers. Our vision to deliver a trio of quality, convenience, and reliability is driven by listening and adapting to the needs of our customers. As the industry changes, so does Tallman. As a result, Tallman Equipment has become a unique company within our industry offering a full range of professional services including tool sales, product distribution, rentals, and repair. Tallman is already a trusted name in stringing blocks, cable assemblies, fiberglass, and rope products – and we are excited to announce the addition of our new Rubber Goods Testing Lab.

Dur Services Include:

Groundset & Jumperset Manufacturing, Repair & Refurbishing Transformer Sling Manufacturing & Rope Repair Battery Power Tool & Equipment Repair Fiberglass Tool Testing, Repair & Refinishing Tool & Equipment Rental

Rubber Goods Testing & Refurbishment





www.tallmanequipment.com

Call Toll Free: 877-860-5666 International: 630-860-5666

TUS Contents • May 2021

PG 4	Hastings Offers High Tensile Steel Bolt Cutters Designed for Hard Metals
PG 6	John Deere Announces 2021 "Own It" Low Monthly Pay- ment Program
PG 10	Multi-Reverse Camera System Now Available for SkyTrak® Telehandlers
PG 14	New LineWise TLL-500A Series 3 Triple Line Lifter for Sub- transmission Applications Features Hydraulic Articulation, Extension and Retraction
PG 18	Manhole Cover Removal the Serious Risk to Workers
PG 20	Hi-Ranger™ TL48 Telescopic Aerial Device Delivers Industry Leading Side Reach and Material Handling Capacity
PG 26	Monthly Buyer's Guide
PG 28	Ad Index

UTILITYSOURCE

Products and Services for Today's Electric, Telecom, and CATV Utilities

Vol. 21 Issue 5

PUBLISHER

Glen Hobson 205-441-5591 glen@tipsmag.net

ADMINISTRATIVE DIRECTOR


Steven Hobson steven@tipsmag.net

EDITOR

Brandon Greenhill brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill jacklyn@handfmedia.net



P.O. Box 1568 • Pelham, AL 35124 Phone: 205-441-5591 • Fax: 205-624-2181 www.theutilitysource.net info@theutilitysource.net



The Utility Source[™] is published twelve times a year on a monthly basis by H & F Media, Inc. The Utility Source[™] is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Utility SourceTM is distributed to Power, Telcom and CATV Utilities and Utility Contractors throughout the USA. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

> POSTMASTER: Send address changes to H & F Media, Inc. P.O. Box 1568 Pelham, AL 35124 PRINTED IN THE USA

Custom Insurance for the Construction Industry

With XINSURANCE, You Get...

- > All-In-One Approach
- > Agent Friendly

X

- Limits up to \$10MM
- Property & Casualty
- Professional Liability
- Commercial Auto Liability (available in most states)
- Products Liability
- Exclusions/Gaps in Current Coverage & More

XINSURANCE is powered by Evolution Insurance Brokers, LC ("EIB"), an excess and surplus lines insurance brokerage. XINSURANCE is a DBA of EIB, which is domiciled in and has its principal place of business in Sandy, Utah. This insurance product is offered by an unlicensed surplus lines insurer. The NPN for EIB is 5464658 and CA license number is 0H93938. Ask us about our new coverage option – Communicable Disease Liability

To get your free custom insurance quote for the construction industry, visit www.xinsurance.com

You can also contact Logan Fitzgerald directly at 801.304.5562 or loganf@xinsurance.com



Hastings Offers High Tensile Steel Bolt Cutters Designed for Hard Metals

As a worldwide manufacturer of hot line tools and equipment, Hastings understands that every day has the potential to bring the unexpected to lineworkers. That is why Hastings designs every product, including our High Tensile Steel Bolt Cutters, with safety in mind.

We know that the toughest jobs require equally tough equipment and Hastings' High Tensile Steel Bolt Cutters are no exception. Designed for cutting hard materials, our bolt cutters fea-

ture a great short cutting edge for high tensile steel, bolts, wire, chain links, and case-hardened chains.

Hastings bolt cutters feature fiberglass handles, the same fiberglass used on all Hastings hot sticks that are filled with unicellular foam core for increased safety.

View this product in Hastings' online catalog on pages 127 and 128.

For more information, call (269) 945-9541 or visit *www.hfgp.com* •





The Lifter[™]

We've Got Your Back



Reduce the high cost of injury and improve worker efficiency.

- Automate manhole cover removal
- Reduce risk of injuries
- Reduce associated high costs of injuries
- Keep aging workforce safe & efficient



Rock Mills Enterprises

712-451-6550 sales@rockmillsent.com www.rockmillsent.com



John Deere Announces 2021 "Own It" Low Monthly Payment Program

- John Deere unveils its new 2021 "Own It" Low Monthly Payment Program, enabling customers to grow their fleets and become equipment owners.
- With various configurations available, the 316GR and 324G skid steer loaders, 317G compact track loader, 204L compact wheel loader and the 26G, 75G and 85G excavator models are included in the 2021 offerings.

John Deere unveils its 2021 "Own It" Low Monthly Payment Program, available for customers who want to own the quality and reliability of John Deere compact and mid-size equipment. Customers can utilize the low monthly payment program to get on the path to equipment ownership for a variety of compact and mid-size equipment models including the 316GR and 324G skid steer loaders, the 317G compact track loader, the 26G, 75G, and 85G excavators and the 204L compact wheel loader with specific factory-installed configurations.

IN NEED OF REPLACEMENT RUBBER TRACKS?

We're proud that Dominion Rubber Tracks are the #1 SELLING RUBBER TRACK brand in America.

> CALL US TODAY TO GET THE BEST PRICE ON RUBBER TRACKS, YANMAR PARTS, AND UNDERCARRIAGE PARTS

Ashland, VA >> Jacksonville, FL >> Cincinnati, OH >> Portland, OR >> Schenectady, NY >> Dallas, TX **DOMINION** Equipment Parts

800-365-7260 www.depparts.com "Each year, our low monthly payment program helps us support our customers and empower them to become machine owners as they grow their businesses," said Greg Bauer, Manager, Tactical Marketing and Production Systems. "The 'Own It' program providers customers with financial flexibility while promoting the growth of fleets and jobsite capabilities without breaking the bank." Operators can own various compact and mid-size excavator models including the 26G with a canopy configuration or the cab configuration, as well as the 75G excavator and the 85G. Both midsize excavators included in the program feature cabs and rubber crawler pad tracks.

For compact offerings, the 316GR, 317G and 324G skid steer small-frame loaders and 204L compact wheel loaders are available in a canopy or cab configurations. Customers can also purchase the 316GR with the EH joystick controls and the attachments performance package.

The 'Own It' program will run through October 31, 2021. Exclusions apply in the United States. To learn more about the Low Monthly Payment Program, contact an authorized John Deere Compact Equipment Dealer or visit https://www.deere.com/ownit.

About John Deere

Deere & Company (www.JohnDeere.com) is a world leader in providing advanced products, technology and services for customers whose work is revolutionizing agriculture and construction — those who cultivate, harvest, transform, enrich and build upon the land to meet the world's increasing need for food, fuel, shelter and infrastructure.



https://www.deere.com/ownit •

WE KEEP AMERICA ON TRACK



Call: 800-365-7260 OR Visit: morookacarriers.co



Multi-Reverse Camera System Now Available for SkyTrak® Telehandlers

Allows operators to back up with confidence

JLG Industries, Inc., an Oshkosh Corporation company and leading global manufacturer of mobile elevating work platforms (MEWPs) and telehandlers, introduces a multi-reverse camera system for SkyTrak® telehandlers. Giving operators more confidence when backing up, this optional feature increases job site awareness by displaying multiple views from behind the machine — left, right, and rear. The SkyTrak multi-reverse camera system can be used for day or night operation and features three components: Left- and right-side back-up cameras, rear back-up camera and a tri-view monitor.

Left- & Right-Side Back-up Cameras

10 TUS Magazine • May 2021

Making perfect connections has never been simpler. In fact, now it's a

NEW SNAP Connectors from Greaves. A revolutionary compression connector concept that gets the job done with just a few turns of a standard wrench!

Time-saving, easy installation

Superior pull-out strength and conductivity

No bulky and costly tools and dies



860-664-4505 | 800-243-1130 | www.greaves-usa.com | info@greaves-usa.com

These compact back-up cameras easily mount to the back of the SkyTrak telehandler and provide a wide, 170° all-encompassing viewing angle behind the machine. Equipped with four infrared lights, the cameras provide high-quality pictures during day or night operation. The images are crisp and clear thanks to the 620 TV lines, and the completely waterproof encasing (IP68 rating) allows operators to use these cameras in all weather conditions.

Rear Back-up Camera

The RVS-812N 120° ultra-wide viewing angle backup camera is the highest quality camera available on the market today. It boasts a 250,000-pixel, 2.1-mm lens with 30 infrared illuminators for superior night vision, enabling operators to see in total darkness. The diecast casing of the camera is completely waterproof (IP69K rating) to withstand all weather conditions, and the built-in heater can withstand temperatures to -49° F, keeping the camera warm in the coldest of climates.

Tri-View Monitor

The 7-in, tri-view monitor features a TFT LCD digital color display with auto dimming for low light conditions. It is equipped with touch screen technology and is completely waterproof (IP69K rating).

The multi-reverse camera is currently available fitted from the factory on new SkyTrak telehandlers. For new machine orders, contact a JLG sales representative or the JLG Sales Department at 1-877-JLG-LIFT.

For more information about SkyTrak telehandlers, visit: SkyTrak Telehandlers | JLG. For more information about JLG, visit *www.jlg.com* •



"THE RIGHT TOOL FOR EVERY LIFT YOUR EQUIPMENT CHECKLIST

CD110 - 11 TON Zero degree load chart 53 ft. max tip height Out and down outriggers <u>Best in class max capacity!</u>

M150 - 15 TON

Optimal operator comfort Fully adjustable controls Best in class load chart <u>Stand out safety features!</u> (Override key switch, rear view camera, ext. LMI utilization light)

M300 - 30 TON



Fully adjustable joystick controls Outstanding pick and carry chart Full vision cab with heat & A/C

<u>Compact footprint for</u> <u>maximum maneuverability!</u>



VIST US AT: WWW.MANITEX.COM STRENGTH. DEPENDABILITY. MANITEX.

New For

2019!

Contact your dealer for more information. Find a dealer at: www.manitex.com/dealerlocator or call 833-MANITEX (626-4839)



New LineWise TLL-500A Series 3 Triple Line Lifter for Subtransmission Applications Features Hydraulic Articulation, Extension and Retraction

LineWise has introduced its TLL-500A Series 3 Triple Line Lifter for sub-transmission applications. Designed to support three phases of energized conductors between 34.5 kV and 72.5 kV, the product features all-new hydraulic articulation, allowing operators to easily rotate phases up to 90 degrees from horizontal to vertical orientation while servicing sub-transmission lines. It also includes hydraulic cylinders to extend and retract the outer phases.

The TLL-500A Series 3 has been specifically designed to work with large digger derrick trucks, such as those provided by Terex, Elliott and Altec. It includes three lightweight polymer insulators that are rated for 34.5 kV or 72.5 kV to hold the phases. The product has a maximum load capacity of 475 pounds per phase for a total capacity of 1,425 pounds.

Exclusive to the new Series 3, the phases can be hydraulically rotated from a horizontal to vertical orientation. The outside phases can also be extended to a maximum overall span of 16 feet or retracted to a minimum overall span of 7 feet, 10 inches. This feature allows the three phases to be positioned anywhere from

STAY SAFE ON THE JOB

The NEW Observer[™] 4401 HVR

The mobile video recorder that protects **YOU**.



Maximize operational awareness Records up to 5 HD cameras and 512GB of storage

Encourage safe and effective practices Use footage as first-hand training videos

Combat false accusations The truth lies in the recorded video



cementcamerasales@safetyvision.com

www.safetyvision.com



3 feet, 11 inches to 8 feet apart. Wear pads are installed within the assembly to maximize service life. A radio remote allows operators to control all hydraulic functions while working in a bucket.

The hydraulic power unit comes standard with the Series 3. It features a 7.5-horsepower gasoline engine with electric start and provides 2,600 psi at 4 gpm. A convenient transportation skid with fork pockets comes standard for easily loading, transporting and storing the unit. The transportation skid also makes mounting the TLL-500A Series 3 to the digger derrick or boom truck crane much easier.

Available add on options include fiberglass insulators and a crane adapter to allow crews to use this product with boom truck cranes.

In addition to the TLL-500A Series 3, LineWise also offers a Series 1 and Series 2 to meet the needs and budgets of various operations. The Series 1 features manual pin adjustment of the insulator sliders in 3-inch increments. The Series 2 offers up to 30 inches of insulator travel via lead screw assembly, allowing linemen to extend and retract phases by using an impact driver.

LineWise is a division of Diversified Products. The company designs, engineers and manufactures a full line of utility products, including line lifters, insulated work platforms, phase lifters, transmission temporary conductor supports and the Buddy Bushing transmission hardware reinforcement system. For more information, contact Diversified Product Development, 1001 Webster Avenue, Waco, Texas 76706, phone 254-757-1177, fax 254-757-1188, or visit the website at *www.line-wise.com*





Available in 10, 12, 14, and 16 foot widths

Available in 16, 18, 20, 24, and 30 foot widths

ROME

vailable with

Manufacturing Heavy Duty Construction and Agricultural Equipment Since 1932

ROME Plow has been the premier name in heavy duty disc plows for over 87 years.

ROME has been manufacturing pivot dump and ejector scrapers for over 45 years for the construction and agricultural industries.

ROME also manufactures a full line of leveling scrapers (with and without gates) and haul road maintenance tools (with and without rollers)

For more information on our products or for the closest authorized ROME dealer please contact us.



Available in 18 and 22 yard versions

blades, and up to 20

Manhole Cover Removal the Serious Risk to Workers

Did you know:

- Lifting manhole cover is a "known hazard". The process is inherently risky, and accidents are common.
- According to a study by the International Journal of Industrial Ergonomics, "the operation of removing covers from utility holes has been identified as having one of the highest number of reported cases of severe back injury for the utility and telecommunications industry".
- Research studies by Liberty Mutual have shown that only 60% of the male population and 10% of the female population can lift an 85 lb manhole cover every 4 hours without significant risk of overexertion. Increase the weight to 130 lbs and only 10% of the male population can do the job without overexertion.
- A big part of the problem is that many workers rely on tools that are not appropriate for lifting and removing heavy manhole covers.
- It is critically important for the safety of underground infrastructure maintenance workers to be provided with tools to reduce the risk of injury during daily exposure to removing and replacing heavy manhole covers.
- The Lifter and The Lifter PLUS offer the most innovative, automated loss control safety solution to address this real and challenging injury risk exposure to workers.
- There have been no reports of worker injury from any organization using The Lifter or The Lifter PLUS. Protect your employees and at the same time improve worker efficiency. That's return on investment.



For Rentals And Supplies Visit CrossCountryIS.com Or Call 1-855-955-CCIS (2247)

POWER & TRACTION IN ACTION





TRACKED DIGGER DERRICKS & AERIALS

- 57' working height (aerial)
- Exclusive hydraulic fold-out/removable bucket (digger derrick)
- Can be towed on a 10 ton trailer behind a line truck
- Sets up to 65' poles / 24" diameter

- 2.25 psi ground pressure (loaded), 17,500 lbs, 134 hp
- Super stable 45° hydraulic radial outriggers
- The shortest production lead times in the industry



For more information or to schedule a demonstration contact UTV International today.2sales@utvint.com1-800-985-8665www.utvint.com

Hi-Ranger™ TL48 Telescopic Aerial Device Delivers Industry Leading Side Reach and Material Handling Capacity EX.

Terex Utilities announces a new Hi-Ranger[™] telescopic aerial device with superior jib capacities to meet the needs of trouble truck applications. "The key features of our new Hi-Ranger TL48 aerial device include achieving 53 ft of working height on a Super-Duty class vehicle, while maintaining the required payload and jib capacity to get the job done at the desired boom angle," said Joe Caywood, Director of Marketing.

"Utility customers were looking for material handling capability throughout the work zone to accomplish switch work, small transformer replacements, insulator maintenance, and other tasks without having to reposition the truck," Caywood. "This need was not being met on Super-Duty class vehicles and current products that were in the market – until now."

With an industry-leading side reach of almost 32 ft, the TL48 has 500 lbs. bucket capacity plus maximum material handling capacity of 1,000 lbs. The key feature is when the upper boom is at a horizontal position it still achieves 800 lbs. jib capacity with the inner boom retracted at 23 ft. side reach and 26 ft. working height, and 200 lbs. fully extended at 32 ft. side reach, where similar units have no material handling capability. The product is offered with an end-mounted Cobra-style hydraulic, articulating jib as well as side mount bucket and jib configurations.

All TL units support ground access, making it easier to hand off tools, support personnel rescue, and clean out debris in the platform. Like all Hi-Ranger telescopic booms, the TL48 is equipped with a rigid rectangular boom constructed from epoxy resin and bi-axial wound fiberglass filament. This process and design achieve consistency in insulating properties, size, density and strength-to-weight ratio of the boom.

A swivel wear pad on the upper boom provides uniform surface contact with the fiberglass extension, further contrib-

WE HAVE THE **ROPE TO GET** THE JOB DONE.

uting to smooth boom operation. Full pressure open-center hydraulics give operators smooth boom responsiveness and feathering control.

Simple maintenance access and hose systems are intended to help fleet managers reduce service costs over the life of the equipment. The pedestal design allows technicians ease of access to bearing bolts and O-ring face seal fittings are located above the pedestal rotation.

"Terex continues to find solutions for our customers as we listen to their needs," said Caywood. "The TL48 provides the versatility working height, side reach, payload and capacity in the work zone that line workers need to get the job done." Additionally, with the recent release of the Ford F600, International Navistar CV Series and Chevy 6500HD that support GVW greater than 22K lbs the TL48 provides a well-balanced solution.

For more information on the TL48 aerial device, visit https:// www.terex.com/utilities/en/product/hi-ranger-tl/tl48 •



www.atlantic-screen.com

email: atlantic@ce.net



800-358-7673

www.bucrope.com

MADE FOR MORE TO KEEP PACE WITH YOU


You begin each day before dawn with a drive and determination to do **more** than the day before. When you move at this pace, you know to do more you need equipment that is made for more. That's why our utility line and land clearing equipment, like our **Forestry Mulchers and Aerial Trimmers**, is built from the ground up to meet your needs, delivering:

> More Power and Production Lower Operating Costs Greater Reliability Better Safety Features Superior Operator Comfort and Control

If you're ready to operate equipment that's made to keep pace with you, then we invite you to go to **morbarkdealers.com** to find your local authorized Morbark or Rayco dealer. Your dealer will work with you to assess your needs now and in the future, as well as offer equipment recommendations, financing options, wear parts and service if you should ever need it.

Equipment is available for **SALE** or **RENT**.





Time

Unitrex XS[™] Max Wear. Unmatched performance in the field and in the boardroom.

Electric line stringing is easier and more economical with Unitrex[™]. Made with a core of Honeywell Spectra[®], it is up to 10 times lighter than steel, while delivering comparable strength. The urethane-coated polyester jacket provides excellent abrasion resistance for great productivity that lasts.

To learn more, visit www.yalecordage.com





RENTAL EQUIPMENT THAT WORKS AS HARD AS YOUR CREW

NESCO isn't just a premier provider of utility rental equipment, but a leader in responsiveness and support for all customers. Dedicated rental and service teams, combined with one of the industry's largest rental fleets, ensure NESCO meets your job site needs.

AERIAL > DIGGERS > CRANES > STRINGING EQUIPMENT UNDERGROUND > TOOLS & ACCESSORIES



800-252-0043 www.NESCORENTALS.com







Monthly Buyer's Guide

- Buccaneer Rope
 22319 Alabama Hwy.79
 Scottsboro, Al 35768
 800-358-7673
 www.bucrope.com
- Cleanfix Reversable Fans
 250 Wright Blvd.
 Stratford, ON, CN N4Z1H3
 866-489-3267
 www.cleanfix.org
- Conduit Repair
 761 Enterprise Dr. # 1
 St. George, UT 84790
 800-670-1804
 www.conduitrepair.com
- Greaves USA
 30 Industrial PK.
 Centerbrook,CT. 06409
 800-243-1130
 www.greaves-usa.com
- Hogg Davis
 3800 Eagle Loop
 Odell, OR. 97031
 855-883-4909
 www.hoggdavis.com

- Manitex USA 3000 S. Austin Av. Georgetown, TX. 78626 877-314-3390 www.manitex.com
- M.B. Crushers
 8730 Technology Way
 Reno, NV. 89521
 855-MBCRUSH
 www.mbcrusher.com
- Morooka USA 11191 Air Park Rd. Ashland, VA. 23005 www.morooka.com
- Morbark
 8507 S. Winn RD.
 Winn, MI. 48896
 800-831-0042
 www.morbark.com
- Ring Power
 9901 Ringhaven DR.
 Orlando, FL. 32824
 407-855-6195
 www.ringpower.com

- Rome Plows 475 N.6th. St. Cedartown, GA. 30125 770-748-4450 www.romeplow.com
- U.T.V. INTERNATIONAL 8850 Danley Rd. Quebec,CN. H4T1M4 514-345-0990 www.utvint.com
- Yale Cordage
 77 Industrial Park Rd.
 Saco, ME. 04072
 207-282-3396
 www.yalecordage.com

2021 Electric Utility Fleet Managers Conference

June 8-9 & 15-16 Virtual Event

Essential Tools For Fleet Excellence

Join fleet professionals from investor-owned electric utilities, electric cooperatives and electrical contractors from across the U.S. and Canada and the industry's leading manufacturers and service providers for a virtual experience unlike any other.

Educational sessions and virtual exhibits **Roundtables on** best practices and industry challenges

Network with fleet professionals and suppliers

Buy One, Get Two registrations & discounted rates

Valuable information for your fleet management team at a lower cost.

Register at EUFMC.com

SPONSORS











BRIDGESTORE







Utilimarc

Ad Index

Company	Pg.	Website
ASI	22	www.atlantic-screen.com
Buccaneer Rope	22	www.bucrope.com
Conduit Repair	BC	www.conduitrepair.com
Cross Country	18	www.crosscountryis.com
Dominion	7	www.depparts.com
eMars Inc	28	www.emarsinc.com
EUFMC	27	www.eufmc.com
Greaves	11	www.greaves-usa.com
Krenz Vent	2	www.krenzvent.com
Manitex	13	www.manitex.com
Morooka USA	9	www.morookacarriers.com
Nesco	25	www.nesco.com
Rаусо	23	www.rayco.com
Ring Power	IFC	www.ringpower.com
Rock Mills	5	www.rockmillsent.com
Rome Plow	17	www.romeplow.com
Safety Vision	15	www.safetyvision.com
Tallman Equipment	1	www.tallmanequipment.com
Terex	IBC	www.terex.com
UTV	19	www.utvint.com
X Insurance	3	www.xinsurance.com
Yale Cordage	24	www.yalecordage.com



THE FUTURE IS Bright.

WITH A NEW MANUFACTURING FACILITY, ADDITIONAL SERVICE CENTERS AND EXPANDED SERVICE AND PARTS TEAM



We're more prepared than ever to deliver.

For more than 75 years, Terex Utilities has been a pioneer of insulated and digging equipment for the electric utility industry. Along the way, we've established a pattern of innovation and continuous improvement in order to deliver solutions so linemen can be productive and keep the lights on for their customers. This is an exciting time in Terex Utilities' history – with strategic investments being made in our manufacturing capabilities, our service footprint, new products, team members and overall customer experience. The future is looking bright, and we're excited to continue delivering equipment and service solutions to the electric utility industry – now better than ever.

Give us a call at 844-TEREX-4U for your equipment, service and parts needs.

www.terex.com/utilities






©2021 Terex Corporation. Terex, the Terex Crown design and Works For You are trademarks of Terex Corporation or its subsidiaries. All rights reserved. January 2021.



Step 1: Remove Damaged Conduit



Step 2: Cut Split Duct Conduit to Fit



Step 3: Snap in Place



Step 4: Attach Adapters



Step 5: Finish Job in Record Time

REPAIR CONDUIT IN A SNAP!

No Tape
No Plastic Straps,

No Metallic Straps

NO KIDDING! Designed especially for power, communications, and fiber optics



"The World Leader In Split Conduit Products"



800-670-1804 fax: 435-673-8724 email: crs@conduitrepair.com

Please Visit Our Website at WWW.CONDUITREPAIR.COM